

## Safety Data Sheet dated 11/3/2019, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification Trade name: RUST ACTION 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Additive for laundry. Professional use (SU22) - Washing and cleaning products (PC35) Uses advised against: Different uses than recommended. Do not use in combination with other products. 1.3. Details of the supplier of the safety data sheet Manufacturer: SUTTER INDUSTRIES s.p.a. - Società con Unico Socio 15060 Borghetto Borbera (AL) Italia Tel. +39 0143 631.1 Competent person responsible for the safety data sheet: regulatory.affairs@sutter.it 1.4. Emergency telephone number +39 0143 631.1 mon-fri 9.00/17.00

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP)



Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.

Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards 2.2. Label elements Hazard pictograms:



Danger Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P280 Wear protective gloves and eye/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

#### Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request. Contains

56710CLP/1 Page n. 1 of14



HYDROXYETHYLIDENEDIPHOSPHONIC ACID OXALIC ACID 2-AMINOETHANOL
Product contents: phosphonates 5 - 15 % cationic surfactants < 5 % Special provisions according to Annex XVII of REACH and subsequent amendments: None
2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards
SECTION 3: Composition/information on ingredients 3.1. Substances Not Applicable, the product is a mixture. 3.2. Mixtures
Hazardous components within the meaning of the CLP regulation and related classification: >= 7% - < 10% HYDROXYETHYLIDENEDIPHOSPHONIC ACID REACH No.: 01-2119510391-53, CAS: 2809-21-4, EC: 220-552-8 2.16/1 Met. Corr. 1 H290
<ul> <li>3.1/4/Oral Acute Tox. 4 H302</li> </ul>
3.3/1 Eye Dam. 1 H318
>= 7% - < 10% OXALIC ACID REACH No.: 01-2119534576-33, CAS: 6153-56-6, EC: 205-634-3
3.1/4/Dermal Acute Tox. 4 H312
3.3/1 Eye Dam. 1 H318
>= 3% - < 5% 2-AMINOETHANOL REACH No.: 01-2119486455-28, Index number: 603-030-00-8, CAS: 141-43-5, EC: 205-483-3
<ul> <li>3.2/1B Skin Corr. 1B H314</li> <li>3.1/4/Oral Acute Tox. 4 H302</li> </ul>
<ul> <li>3.1/4/Oral Acute Tox. 4 H302</li> <li>3.1/4/Inhal Acute Tox. 4 H332</li> </ul>
3.1/4/Dermal Acute Tox. 4 H312

56710CLP/1 Page n. 2 of14



3.8/3 STOT SE 3 H335

4.1/C3 Aquatic Chronic 3 H412

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

- Protect uninjured eye.
- In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Severe skin and eye irritation for contact.

Irritation interior system if swallowed.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

#### **SECTION 5: Firefighting measures**

5.1. Extinguishing media Suitable extinguishing media: Water. Carbon dioxide (CO2). Extinguishing media which mu

Extinguishing media which must not be used for safety reasons: None in particular.

5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases. Burning produces heavy smoke.

- 5.3. Advice for firefighters
  - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).



#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety.
  - See protective measures under point 7 and 8.
- 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water. To converge the product in containment tanks.
- 6.4. Reference to other sections See also section 8 and 13

## **SECTION 7: Handling and storage**

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

- 7.2. Conditions for safe storage, including any incompatibilities
  - Store away from sunlight.
    - Store in a cool and well ventilated place.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Do not store in open or unlabeled containers.

Keep away from food, drink and feed.

Incompatible materials:

Alkalines, Chlorine based oxidising, flammable, combustible.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2. See section 10.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

#### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

2-AMINOETHANOL - CAS: 141-43-5

EU - TWA(8h): 2.5 mg/m3, 1 ppm - STEL: 7.6 mg/m3, 3 ppm - Notes: Skin

ACGIH - TWA(8h): 3 ppm - STEL: 6 ppm - Notes: Eye and skin irr

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture.

56710CLP/1 Page n. 4 of14



Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

OXALIC ACID - CAS: 6153-56-6

Worker Industry: 0.69 mg/cm2 - Exposure: Human Dermal - Frequency: Short Term, local effects

Worker Industry: 2.29 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 350 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

2-AMINOETHANOL - CAS: 141-43-5

Worker Industry: 1 mg/kg - Consumer: 0.24 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 3.3 mg/m3 - Consumer: 2 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term (repeated)

Consumer: 3.75 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

**PNEC Exposure Limit Values** 

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

OXALIC ACID - CAS: 6153-56-6

Target: Marine water - Value: 0.01622 mg/l

Target: Fresh Water - Value: 0.1622 mg/l

Target: Air - Value: 1.622 mg/l

Target: Microorganisms in sewage treatments - Value: 1550 mg/l

2-AMINOETHANOL - CAS: 141-43-5

Target: Marine water - Value: 0.0085 mg/l

Target: Fresh Water - Value: 0.085 mg/l

Target: Air - Value: 0.028 mg/l

Target: Marine water sediments - Value: 0.0434 mg/kg

Target: Soil (agricultural) - Value: 0.0367 mg/kg

Target: Freshwater sediments - Value: 0.434 mg/kg

Target: Microorganisms in sewage treatments - Value: 100 mg/l

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

#### Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

#### Respiratory protection:

Not needed for normal use.

#### Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:



Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions. See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Clear liquid, colorless/yello w	Visual	
Odour:	Technical	Olfactory	
Odour threshold:	Evident	Olfactory	
pH:	<2	Instrumental control	
Melting point / freezing point:	Not Relevant		Parameter not relevant for the type of product
Initial boiling point and boiling range:	>= 100 °C		Estimated value on chemical / physical properties of components
Flash point:	>60 ° C		Estimated value on chemical / physical properties of components
Evaporation rate:	Not Relevant		Parameter not relevant for the type of product
Solid/gas flammability:	Not Relevant		Parameter not relevant for the type of product
Upper/lower flammability or explosive limits:	Not Relevant		Parameter not relevant for the type of product
Vapour pressure:	Not Relevant		Parameter not relevant for the type of product
Vapour density:	Not Relevant		Parameter not relevant for the type of product
Relative density:	1.085 g/ml	Instrumental control	-
Solubility in water:	Total		Internal tests
Solubility in oil:	Partial		Internal tests
Partition coefficient (n-octanol/water):	<1000		Value estimated based on the solubility of the mixture.
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant		Parameter not relevant for the type of product
Viscosity:	<10 cPs		Estimated indicative value. Not viscous mixture.
Explosive properties:	Not Relevant		Parameter not relevant for product composition.
Oxidizing properties:	Not Relevant		Parameter not relevant for product composition.



#### 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant		Parameter not relevant for the type of product
Fat Solubility:	Not Relevant		Parameter not relevant for the type of product
Conductivity:	Not Relevant		Parameter not relevant for the type of product
Substance Groups relevant properties	Not Relevant		Parameter not relevant for the type of product

#### **SECTION 10: Stability and reactivity**

10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

- 10.2. Chemical stability Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
- 10.3. Possibility of hazardous reactions

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also scetion 7.2.

10.4. Conditions to avoid Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

#### 10.5. Incompatible materials

Alkalines, Chlorine based oxidising, flammable, combustible.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. Do not use in combination with other products.

#### **SECTION 11: Toxicological information**

- 11.1. Information on toxicological effects
- Toxicological information of the product:
  - RUST ACTION
  - a) acute toxicity
    - Not classified

Based on available data, the classification criteria are not met

- b) skin corrosion/irritation
  - The product is classified: Skin Corr. 1A H314
- c) serious eye damage/irritation
  - The product is classified: Eye Dam. 1 H318
- d) respiratory or skin sensitisation
  - Not classified

56710CLP/1 Page n. 7 of14



Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met a) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met i) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met j) aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: Below are reported, if available, the toxicological information of the components listed in paragraph 3.2. HYDROXYETHYLIDENEDIPHOSPHONIC ACID - CAS: 2809-21-4 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg 2-AMINOETHANOL - CAS: 141-43-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 1089 mg/kg - Source: OECD 401 Test: LD50 - Route: Skin - Species: Rabbit = 2504 mg/kg - Source: OECD 402 Test: LC50 - Route: Inhalation - Species: Rat > 1.48 mg/l - Duration: 4h b) skin corrosion/irritation: Test: Skin Corrosive - Route: Skin - Species: Rabbit Positive c) serious eye damage/irritation: Test: Eye Corrosive - Species: Rabbit Positive d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative h) STOT-single exposure: STOT I 2-AMINOETHANOL - CAS: 141-43-5 LD50 (RAT) ORAL: 2100 MG/KG LD50 (RABBIT) SKIN: 1000 MG/KG

#### **SECTION 12: Ecological information**

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

RUST ACTION

Not classified for environmental hazards

Based on available data, the classification criteria are not met

HYDROXYETHYLIDENEDIPHOSPHONIC ACID - CAS: 2809-21-4

56710CLP/1 Page n. 8 of14



a) Aquatic acute toxicity: Endpoint: EC50 - Species: Daphnia > 500 mg/l - Duration h: 48 Endpoint: LC50 - Species: Fish > 300 mg/l - Duration h: 48 OXALIC ACID - CAS: 6153-56-6 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 160 mg/l - Duration h: 48 Endpoint: EC50 - Species: Daphnia = 162.2 mg/l - Duration h: 48 - Notes: Daphnia magna 2-AMINOETHANOL - CAS: 141-43-5 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 349 mg/l - Duration h: 96 - Notes: Cyprinus carpio Endpoint: LC50 - Species: Fish = 170 mg/l - Duration h: 96 - Notes: Carassius auratus Endpoint: EC50 - Species: Daphnia = 65 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae = 2.5 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum Endpoint: EC50 - Species: Algae = 22 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus Endpoint: NOEC - Species: Algae = 1 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Fish = 1.24 mg/l - Duration h: 984 - Notes: Oryzias latipes Endpoint: NOEC - Species: Daphnia = 0.85 mg/l - Duration h: 504 - Notes: Daphnia magna c) Bacteria toxicity: Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: = 110 mg/l -Duration h: 16 - Notes: Pseudomonas putida 12.2. Persistence and degradability Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. 2-AMINOETHANOL - CAS: 141-43-5 Biodegradability: Readily biodegradable - Test: OECD 301A - Duration: 21 days -Notes: 90% The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer. 12.3. Bioaccumulative potential Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. 2-AMINOETHANOL - CAS: 141-43-5 Bioaccumulation: Slightly bioaccumulative 12.4. Mobility in soil Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. Not applicable

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

56710CLP/1 Page n. 9 of14



## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6

## **SECTION 14: Transport information**



14.1. UN number ADR-UN Number: IATA-UN Number: IMDG-UN Number: 14.2. UN proper shipping name	1760 1760 1760
ADR-Shipping Name:	CORROSIVE LIQUID, N.O.S.(HYDROXYETHYLIDENEDIPHOSPHONIC ACID, 2-AMINOETHANOL)
IATA-Shipping Name:	CORROSIVE LIQUID, N.O.S.(HYDROXYETHYLIDENEDIPHOSPHONIC ACID, 2-AMINOETHANOL)
IMDG-Shipping Name:	CORROSIVE LIQUID, N.O.S.(HYDROXYETHYLIDENEDIPHOSPHONIC ACID, 2-AMINOETHANOL)
14.3. Transport hazard class(es)	
ADR-Class:	8
ADR - Hazard identification nu	mber: 80
IATA-Class:	8
ADR/IATA/IMDG-Label:	8
IMDG-Class:	8
14.4. Packing group	
ADR-Packing Group:	III
IATA-Packing group:	III
IMDG-Packing group:	III
14.5. Environmental hazards	
ADR-Enviromental Pollutant:	No
IMDG-Marine pollutant:	No
14.6. Special precautions for user	
ADR-Subsidiary risks:	-
ADR-S.P.:	274
ADR-Transport category (Tunr	nel restriction code): E
IATA-Passenger Aircraft:	852
IATA-Subsidiary risks:	-
IATA-Cargo Aircraft:	856
IATA-S.P.:	-
IATA-ERG:	8L
IMDG-SP	223 274
IMDG-EmS:	F-A , S-B
IMDG-Subsidiary risks:	-

56710CLP/1 Page n. 10 of14



IMDG-Stowage and handling: Category A SW2

- IMDG-Segregation:
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation

(EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

- No Chemical Safety Assessment has been carried out for the mixture.
- Substances for which a Chemical Safety Assessment has been carried out: None

## **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H318 Causes serious eye damage.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Hazard class and	Code	Description	
hazard category			



Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure,
		Category 3
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Corr. 1A, H314	On basis of test data (pH)
Eye Dam. 1, H318	On basis of test data (pH)

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to

the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EC0/10/20/50/	Effective concentration, for 0/10/20/50/100 percent of test population.
100:	
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC0/10/20/50/	

56710CLP/1 Page n. 12 of14



100: LD0/10/20/50/ 100:	Lethal dose, for 0/10/20/50/100 percent of test population.
NOEC:	No Observed Effect Concentration
NOAEL(R)/N	No Observed Adverse Effect Level(Repeated)/Concentration
OAEC:	
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.



## ANNEX I PROFESSIONAL TRIGGER PRODUCT

Title of exposure scenario		
Detergent for general cleaning: Manual process.		
Use description		
Sector Use	SU22 – Professional use	
Product Category	PC35 – Washing and cleaning products (including solvent	
	based products)	
Description of activities/process considered on expos	sure scenario.	
If required, transfer product from canister to trigger be	ottle.	
Use following the use instruction as specified on the la	ibel.	
Leave on.		
Rinse, if necessary.		
Frequency and duration		
Use phase	Daily, depending on room size and room dirty conditions.	
Relevant limit values of ingredients, if available, are sta	ated in section 8 of the SDS.	
Physical appearence and concentration		
Liquid. To diluite or ready to use.		
In section 2 of the SDS of product and on the label the	classification of mixture is provided.	
Mixture classification is based on ingredients classifica	tion and on chemical/physical properties stated in section 9	
of the SDS of product.		
Use conditions		
Room temperature		
Good general ventilation at workplace is sufficient.		
Protection		
Avoid spray inhalation.	-	
See section 8 of the SDS of product to more	Training of worker to use and maintenance of PPE is	
information on PPE.	supposed.	
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.	
No open flame.	Do not use in combination with other products	
Wash hand after use.		
In case of accidental release: dilute with water and dry	/.	
See section 6 of the SDS in case of accidental release		
	echnical sheet. Use good occupational hygiene practices as	
specified in section 7 on the SDS.		
Environmental measures		
See section 6 of the SDS in case of accidental release		
See section 12 of the SDS for ecotoxicological inform		
See section 13 of the SDS for disposal considerations	5.	

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment