

Safety Data Sheet dated 27/9/2016, version 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Mixture identification Trade name: ACID RINSE 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Additive for dishwasher. Professional use (SU22) Products for washing and cleaning (PC35) Uses advised against: Different uses than recommended. Do not use in combination with other products. 1.3. Details of the supplier of the safety data sheet Manufacturer: SUTTER INDUSTRIES s.p.a. - Società con Unico Socio 15060 Borghetto Borbera (AL) Italia Tel. +39 0143 631.1 Competent person responsible for the safety data sheet:

regulatory.affairs@sutter.it

1.4. Emergency telephone number

+39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

- Warning, Acute Tox. 4, Harmful if swallowed.
- Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.



Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards 2.2. Label elements

Hazard pictograms:



Danger Hazard statements: H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. Precautionary statements: P264 Wash hands thoroughly after handling. P270 Do no eat, drink or smoke when using this product. P280 Wear eye protection. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

50413CLP/3 Page n. 1 of16



P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician. Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request. Contents

ALCOXYLATED FATTY ALCOHOL OXIRANE, METHYL-, POLYMER WITH OXIRANE, MONOBUTYL ETHER

Product contents: 15 - 30 % non-ionic surfactants phosphonates < 5 % The product also contains: Allergens: Preservatives: Special provisions according to Annex XVII of REACH and subsequent amendments: None 2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards **SECTION 3: Composition/information on ingredients** 3.1. Substances Not Applicable, the product is a mixture. Not applicable 3.2. Mixtures Hazardous components within the meaning of the CLP regulation and related classification: >= 12.5% - < 15% ALCOXYLATED FATTY ALCOHOL REACH No.: 02-2119552554-37. CAS: 111905-53-4 3.3/2 Eye Irrit. 2 H319 3.1/4/Oral Acute Tox. 4 H302 4.1/C3 Aquatic Chronic 3 H412 >= 5% - < 7% SODIUM P-CUMENESULFONATE REACH No.: 01-2119489411-37, CAS: 15763-76-5, EC: 239-854-6 3.3/2 Eye Irrit. 2 H319 >= 5% - < 7% OXIRANE, METHYL-, POLYMER WITH OXIRANE, MONOBUTYL ETHER REACH No.: 02-2119630717-36, CAS: 9038-95-3 3.1/4/Oral Acute Tox. 4 H302 >= 1% - < 3% CITRIC ACID MONOHYDRATE REACH No.: 01-2119457026-42, CAS: 5949-29-1, EC: 201-069-1 3.3/2 Eye Irrit. 2 H319



>= 1% - < 3% NITRILOTRIMETHYLENTRIPHOSPHONIC ACID REACH No.: 01-211948988-08, CAS: 6419-19-8, EC: 229-146-5 3.2/2 Skin Irrit. 2 H315

(1) 3.3/2 Eye Irrit. 2 H319

2.16/1 Met. Corr. 1 H290

>= 0.25% - < 0.5% DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL

REACH No.: 01-2119450011-60, CAS: 34590-94-8, EC: 252-104-2 substance with a Community workplace exposure limit

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

Give nothing to eat or drink.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Skin and eye irritation for contact

Irritation interior system if swallowed.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

5.1. Extinguishing media
Suitable extinguishing media:
Water.
Carbon dioxide (CO2).
Extinguishing media which must not be used for safety reasons:
None in particular.

50413CLP/3 Page n. 3 of16



5.2. Special hazards arising from the substance or mixture

The product does not contain ingredients classified as explosive according to Regulation 1272/2008/EC (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely. The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water. To converge the product in containment tanks.

6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Store away from sunlight.

Store in a cool and well ventilated place.

Do not store in open or unlabeled containers.

- Keep away from food, drink and feed.
- Incompatible materials:

See section 10.

Instructions as regards storage premises:

- Adequately ventilated premises.
- 7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

50413CLP/3 Page n. 4 of16



8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. Below, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

EU - LTE(8h): 308 mg/m3, 50 ppm - Notes: Skin

ACGIH - LTE(8h): 100 ppm - STE: 150 ppm - Notes: Skin - Eye and URT irr, CNS impair

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

SODIUM P-CUMENESULFONATE - CAS: 15763-76-5

Worker Industry: 7.6 mg/kg - Consumer: 3.8 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 53.6 mg/m3 - Consumer: 13.2 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 3.8 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Worker Industry: 65 mg/kg - Consumer: 15 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 308 mg/m3 - Consumer: 37.2 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 1.67 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture.

Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

SODIUM P-CUMENESULFONATE - CAS: 15763-76-5

Target: Fresh Water - Value: 0.23 mg/l

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Target: Air - Value: 2.3 mg/l

CITRIC ACID MONOHYDRATE - CAS: 5949-29-1

Target: Marine water - Value: 0.044 mg/l

Target: Fresh Water - Value: 0.44 mg/l

Target: Marine water sediments - Value: 34.6 mg/kg

Target: Freshwater sediments - Value: 3.46 mg/kg

Target: Soil (agricultural) - Value: 33.1 mg/kg

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY)

PROPANOL - CAS: 34590-94-8

Target: Marine water - Value: 1.9 mg/l

Target: Air - Value: 190 mg/l - Notes:: Intermittent emissions

Target: Microorganisms in sewage treatments - Value: 4168 mg/l

Target: Marine water sediments - Value: 5.2 mg/kg

Target: Freshwater sediments - Value: 52.3 mg/kg

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:



Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

The product is not dangerous for the environment - see section 2.1.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions. See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Clear liquid, blue	Visual	
Odour:	Technical	Olfactory	
Odour threshold:	Evident	Olfactory	
pH:	1,6 +/- 0,5	Instrumental control	
Melting point / freezing point:	Not Relevant		Parameter not relevant for the type of product
Initial boiling point and boiling range:	>= 100 °C		Estimated value on chemical / physical properties of components
Flash point:	> 65 ° C		Estimated value on chemical / physical properties of components
Evaporation rate:	Not Relevant		Parameter not relevant for the type of product
Solid/gas flammability:	Not Relevant		Parameter not relevant for the type of product
Upper/lower flammability or explosive limits:	Not Relevant		Parameter not relevant for the type of product
Vapour pressure:	Not Relevant		Parameter not relevant for the type of product
Vapour density:	Not Relevant		Parameter not relevant for the type of product
Relative density:	1.050 g/ml	Instrumental control	
Solubility in water:	Total		internal tests
Solubility in oil:	Partial		internal tests
Partition coefficient	< 1000		Value estimated based on the



(n-octanol/water):		solubility of the mixture.
Auto-ignition temperature:	Not Relevant	 Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant	 Parameter not relevant for the type of product
Viscosity:	< 10 cP	 Estimated indicative value. Not viscous mixture.
Explosive properties:	Not Relevant	 Parameter not relevant for product composition.
Oxidizing properties:	Not Relevant	 Parameter not relevant for product composition.

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant		Parameter not relevant for the type of product
Fat Solubility:	Not Relevant		Parameter not relevant for the type of product
Conductivity:	Not Relevant		Parameter not relevant for the type of product
Substance Groups relevant properties	Not Relevant		Parameter not relevant for the type of product

SECTION 10: Stability and reactivity

10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also scetion 7.2.

- 10.4. Conditions to avoid Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2
- 10.5. Incompatible materials Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.
- 10.6. Hazardous decomposition products

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:

Until the revision date of this document, are not available experimental toxicological data on the mixture.

For the classification of the mixture see section 2.1.

50413CLP/3 Page n. 7 of16



Not applicable Toxicological information of the main substances found in the mixture: Below are reported, if available, the toxicological information of the components listed in paragraph 3.2. ALCOXYLATED FATTY ALCOHOL - CAS: 111905-53-4 a) acute toxicitv: Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Yes - Source: OECD 404 - Notes: slightly irritating c) serious eye damage/irritation: Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405 SODIUM P-CUMENESULFONATE - CAS: 15763-76-5 a) acute toxicity: Test: LC50 - Route: Oral - Species: Rat > 7000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg Test: LC50 - Route: Inhalation - Species: Rat > 6.41 mg/l - Duration: 4h b) skin corrosion/irritation: Test: Skin Irritant Negative c) serious eye damage/irritation: Test: Eye Irritant Positive d) respiratory or skin sensitisation: Test: Skin Sensitization Negative e) germ cell mutagenicity: Test: Mutagenesis Negative f) carcinogenicity: Test: NOAEL = 240 mg/kg bw/d i) STOT-repeated exposure: Test: NOAEL - Route: Oral > 763 mg/kg bw/d Test: NOAEL - Route: Skin > 440 mg/kg bw/d OXIRANE, METHYL-, POLYMER WITH OXIRANE, MONOBUTYL ETHER - CAS: 9038-95-3 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg b) skin corrosion/irritation: Test: Skin Corrosive - Route: Skin Negative - Source: OECD 404 c) serious eye damage/irritation: Test: Eye Irritant Negative - Source: OECD 405 CITRIC ACID MONOHYDRATE - CAS: 5949-29-1 a) acute toxicity: Test: LD50 - Route: Oral - Species: Mouse = 5400 mg/kg Test: LD50 - Route: Skin > 2000 mg/kg Test: NOAEL - Route: Oral - Species: Rat = 4 mg/kg bw/d b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404 c) serious eye damage/irritation: Test: Eye Irritant - Species: Rabbit Positive - Source: OECD 405 e) germ cell mutagenicity: Test: Mutagenesis Negative - Source: Ames Test g) reproductive toxicity: Test: NOAEL - Species: Rat > 295 mg/kg bw/d NITRILOTRIMETHYLENTRIPHOSPHONIC ACID - CAS: 6419-19-8 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8



a) acute toxicity:

- Test: LD50 Route: Oral Species: Rat > 5000 mg/kg
- Test: LD50 Route: Skin Species: Rabbit = 9510 mg/kg
- Test: LC50 Route: Inhalation Species: Rat = 3.35 mg/l Duration: 7h
- b) skin corrosion/irritation:
- Test: Skin Irritant Negative
- c) serious eye damage/irritation:
 - Test: Eye Irritant Negative
- d) respiratory or skin sensitisation:
 - Test: Skin or Resp. Sensitization Negative

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as Not Applicable:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. The environmental hazard of the product are reported in Section 2.1 if applicable. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

- ALCOXYLATED FATTY ALCOHOL CAS: 111905-53-4
- a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 - Notes: Leuciscus Idus Endpoint: EC50 - Species: Daphnia > 1 mg/l - Duration h: 48 - Notes: Daphnia mag

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia > 0.1 mg/l - Duration h: 504 - Notes: Daphnia magna

- c) Bacteria toxicity:
 - Endpoint: EC10 Species: Microorganisms / Effect on activated sludge: > 1000 mg/l Notes: DEV-L2

SODIUM P-CUMENESULFONATE - CAS: 15763-76-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 1000 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EC50 - Species: Algae > 230 mg/l - Duration h: 96 - Notes: Selenastrum capricornutum

Endpoint: EC50 - Species: Daphnia = 1000 mg/l - Duration h: 48 - Notes: Daphnia Magna

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae = 31 mg/l - Duration h: 96

c) Bacteria toxicity:

Endpoint: NOEC - Species: Microorganisms / Effect on activated sludge: = 1000 mg/l - Duration h: 3



OXIRANE, METHYL-, POLYMER WITH OXIRANE, MONOBUTYL ETHER - CAS: 9038-95-3 a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96 - Notes: Brachydanio rerio Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus

CITRIC ACID MONOHYDRATE - CAS: 5949-29-1

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 440 mg/l - Duration h: 48 - Notes: Leuciscus idus melanotus

Endpoint: EC50 - Species: Daphnia = 1535 mg/l - Duration h: 24 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae = 990 mg/l - Duration h: 72 - Notes: Alga c) Bacteria toxicity:

Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: > 10000 mg/l - Duration h: 16 - Notes: Pseudomonas putida

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Poecilia reticulata Endpoint: LC50 - Species: Daphnia = 1919 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 969 mg/l - Duration h: 96 - Notes: Pseudokirchneriella subcapitata

Endpoint: LC50 - Species: Daphnia > 1000 mg/l - Duration h: 96 - Notes: Crangon crangon

Endpoint: EC50 - Species: Algae = 6999 mg/l - Duration h: 72 - Notes: Skeletonema costatum

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia > 0.5 mg/l - Duration h: 528 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: = 4168 mg/l - Duration h: 18 - Notes: Pseudomonas putida

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ALCOXYLATED FATTY ALCOHOL - CAS: 111905-53-4

Biodegradability: Readily biodegradable - Test: OECD 301F - Duration: 28 days - %: Not applicable - Notes: >60% BOD del ThOD

SODIUM P-CUMENESULFONATE - CAS: 15763-76-5

Biodegradability: Readily biodegradable - Test: Not applicable - Duration: Not applicable - %: Not applicable - Notes: Not applicable

OXIRANE, METHYL-, POLYMER WITH OXIRANE, MONOBUTYL ETHER - CAS: 9038-95-3 Biodegradability: Readily biodegradable - Test: Biochemical oxigen demand - Duration: 28 days - %: Not applicable - Notes: >60%

CITRIC ACID MONOHYDRATE - CAS: 5949-29-1

Biodegradability: Readily biodegradable - Test: OECD 302B - Duration: 14 d - %: 85 - Notes: Not applicable

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Biodegradability: Readily biodegradable - Test: Not applicable - Duration: 28 days - %: 75 - Notes: OECD 301F

50413CLP/3 Page n. 10 of16



The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ALCOXYLATED FATTY ALCOHOL - CAS: 111905-53-4

Bioaccumulation: Not bioaccumulative - Test: Not applicable Not applicable - Duration: Not applicable - Notes: Not applicable

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Bioaccumulation: Slightly bioaccumulative - Test: BCF - Bioconcentrantion factor Not applicable - Duration: Not applicable - Notes: < 100

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Mobility in soil: Mobile - Test: Not applicable Not applicable - Duration: Not applicable - Notes: Not applicable

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6

SECTION 14: Transport information



14.1. UN number	
ADR-UN Number:	1760
IATA-UN Number:	1760
IMDG-UN Number:	1760
14.2. UN proper shipping name	
ADR-Shipping Name:	CORROSIVE LIQUID, N.O.S. (nitrilotrimethylentriphosphonic acid)
IATA-Shipping Name:	CORROSIVE LIQUID, N.O.S. (nitrilotrimethylentriphosphonic acid)

50413CLP/3 Page n. 11 of16



IMDG-Shipping Name:	CORROSIVE LIQUID, N.O.S. (nitrilotrimethylentriphosphonic acid)
14.3. Transport hazard class(es)	
ADR-Class:	8
ADR-Label	8
ADR - Hazard identification nur	•
IATA-Class/Division:	8
IATA-Label:	8
IMDG-Class/Division:	8
IMDG-Label	8
14.4. Packing group	
ADR-Packing Group:	III
IATA-Packing group:	III
IMDG-Packing group:	III
14.5. Environmental hazards	
ADR-Enviromental Pollutant:	No
IMDG-Marine pollutant:	No
14.6. Special precautions for user	
ADR-Subsidiary risks:	-
ADR-S.P.:	274
ADR-Tunnel Restriction Code:	E
IATA-Passenger Aircraft:	852
IATA-Subsidiary risks:	-
IATA-Cargo Aircraft:	856
IATA-S.P.:	-
IATA-ERG:	8L
IMDG-S.P.:	223 274
IMDG-EmS:	F-A , S-B
IMDG-Subsidiary risks:	-
IMDG-Storage category:	Category A
IMDG-Storage notes:	SW2
IMDG-Segregation notes	-
14.7. Transport in bulk according to A	nnex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 944/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP)
Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None

Where applicable, refer to the following regulatory provisions : Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

50413CLP/3 Page n. 12 of16



Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H302 Harmful if swallowed.

H412 Harmful to aquatic life with long lasting effects.

H315 Causes skin irritation.

H290 May be corrosive to metals.

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification SECTION 4: First aid measures SECTION 14: Transport information

The classification of the product is based on conventional calculation method.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP: DNEL:	Classification, Labeling, Packaging. Derived No Effect Level.
EC0/10/20/50/ 100:	Effective concentration, for 0/10/20/50/100 percent of test population.
EINECS: GefStoffVO:	European Inventory of Existing Commercial Chemical Substances. Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"

50413CLP/3 Page n. 13 of16



	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC0/10/20/50/	Lethal concentration, for 0/10/20/50/100 percent of test population.
100:	
LD0/10/20/50/	Lethal dose, for 0/10/20/50/100 percent of test population.
100:	
LTE:	Long-term exposure.
NOEC:	No Observed Effect Concentration
NOAEL(R)/N	No Observed Adverse Effect Level(Repeated)/Concentration
OAEC:	
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day.
	(ACGIH Standard).
WGK:	German Water Hazard Class.



50413CLP/3 Page n. 15 of16



ANNEX I

PROFESSIONAL PRODUCT – LAUNDRY or AUTOMATIC DISHWASH DETERGENT

Title of exposure scenario		
Detergent for general cleaning: Manual process.		
Use description		
Sector Use	SU22 – Professional use	
Product Category	PC35 – Cleaning and washing product (including	
	solvent based products)	
Description of activities/process considered on of	exposure scenario.	
	ter hardness and degree of soiling, following the	
instructions on the label or technical data shee	et.	
Frequency and duration	-	
Use phase	1 or more times a day. Duration depends on washing	
	program.	
Relevant limit values of ingredients, if available, a	are stated in section 8 of the SDS.	
Physical appearence and concentration		
Liquid or powder. To dilute.		
In section 2 of the SDS of product and on the labe		
-	sification and on chemical/physical properties stated in	
section 9 of the SDS of product.		
Use conditions		
Room temperature /for recommended washing temperature see label or tecnica sheet.		
Protezione	T	
See section 8 of the SDS of product to more	Training of worker to use and maintenance of PPE is	
information on PPE.	supposed.	
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.	
No open flame.	Do not use in combination with other products	
Wash hand after use.		
In case of accidental release: dilute with water and dry.		
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene		
practices as specified in section 7 on the SDS.		
Environmental measures		
See section 6 of the SDS in case of accidental release		
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.		
See section 13 of the SDS for disposal considerations.		
Note:		

Note.

SDS: Safety Data Sheet

PPE: Personal Protection Equipment