

## Safety Data Sheet dated 15/11/2017, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
  - Mixture identification Trade name:

FLOOR CLEANER RAPID

- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- Recommended use:

Detergent for hard surfaces.

Professional use (SU22) - Products for washing and cleaning (PC35)

Uses advised against:

Different uses than recommended. Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio 15060 Borghetto Borbera (AL) Italia Tel. +39 0143 631.1 Competent person responsible for the safety data sheet: regulatory.affairs@sutter.it

1.4. Emergency telephone number +39 0143 631.1 mon-fri 9.00/17.00

### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP) The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements Hazard pictograms: None Hazard statements: None Precautionary statements: None Special Provisions: EUH210 Only for professional use. Safety data sheet available on request. EUH208 Contains METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE. May produce an allergic reaction. Product contents: anionic surfactants, non-ionic surfactants < 5 % The product also contains: Perfumes Allergens: HEXYL CINNAMAL METHYLCHLOROISOTHIAZOLINONE, Preservatives:

METHYLISOTHIAZOLINONE Special provisions according to Annex XVII of REACH and subsequent amendments: None

56202CLP/1 Page n. 1 of13



2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

## **SECTION 3: Composition/information on ingredients** 3.1. Substances Not Applicable, the product is a mixture. 3.2. Mixtures Hazardous components within the meaning of the CLP regulation and related classification: >= 3% - <=5% 2-(2-BUTOXYETHOXY)ETHANOL REACH No.: 01-2119475104-44, Index number: 603-096-00-8, CAS: 112-34-5, EC: 203-961-6 3.3/2 Eye Irrit. 2 H319 >= 1% - <=3% DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL REACH No.: 01-2119450011-60, CAS: 34590-94-8, EC: 252-104-2 Substance with a Union workplace exposure limit. >= 1% - < 3% ETHANOL REACH No.: 01-2119457610-43, Index number: 603-002-00-5, CAS: 64-17-5, EC: 200-578-6 🚯 2.6/2 Flam. Liq. 2 H225 3.3/2 Eye Irrit. 2 H319 >= 0,1% - <=1% 2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED CAS: 166736-08-9 3.1/4/Oral Acute Tox. 4 H302 3.3/1 Eye Dam. 1 H318

### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

56202CLP/1 Page n. 2 of13



4.3. Indication of any immediate medical attention and special treatment needed Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

### SECTION 5: Firefighting measures

- 5.1. Extinguishing media
  - Suitable extinguishing media:
  - Water.
  - Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

- None in particular.
- 5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

- 5.3. Advice for firefighters
  - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely. The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

## **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
  - Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water. To converge the product in containment tanks.
- 6.4. Reference to other sections See also section 8 and 13

## **SECTION 7: Handling and storage**

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists. Do not eat or drink while working. See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
  - Store away from sunlight.
    - Store in a cool and well ventilated place.
    - Do not store in open or unlabeled containers.
    - Keep away from food, drink and feed.
  - Incompatible materials:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

56202CLP/1 Page n. 3 of13



See section 10. Instructions as regards storage premises: Adequately ventilated premises. 7.3. Specific end use(s) None in particular, see paragraph 1.2

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5

EU - TWA(8h): 67.5 mg/m3, 10 ppm - STEL(15min): 101.2 mg/m3, 15 ppm - Notes: OEL

EU - TWA(8h): 67.5 mg/m3, 10 ppm - STEL: 101.2 mg/m3, 15 ppm

ACGIH - TWÁ(8h): 10 ppm - Notes: (IFV) - Hematologic, liver and kidney eff DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

EU - TWA(8h): 308 mg/m3, 50 ppm - Notes: Skin

ACGIH - TWÁ(8h): 100 ppm - STEL: 150 ppm - Notes: Skin - Eye and URT irr, CNS impair

ETHANOL - CAS: 64-17-5

EU - TWA(8h): 1920 mg/m3, 1000 ppm - Notes: WEL

ACGIH - STEL: 1000 ppm - Notes: A3 - URT irr

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5

Worker Industry: 67.5 mg/m3 - Consumer: 40.5 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 83 mg/kg - Consumer: 50 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 101.2 mg/m3 - Consumer: 60.7 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Consumer: 1.25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Worker Industry: 65 mg/kg - Consumer: 15 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 308 mg/m3 - Consumer: 37.2 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 1.67 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

ETHANOL - CAS: 64-17-5

Worker Industry: 1900 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 950 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 343 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: bw/day

PNEC Exposure Limit Values



Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5

Target: Marine water - Value: 0.11 mg/l

Target: Marine water sediments - Value: 0.44 mg/kg

Target: Microorganisms in sewage treatments - Value: 200 mg/l

Target: Soil (agricultural) - Value: 0.32 mg/kg

Target: Food chain - Value: 56 mg/kg

Target: Fresh Water - Value: 1.1 mg/l

Target: Freshwater sediments - Value: 4.4 mg/kg

Target: Air - Value: 11 mg/l

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Target: Marine water - Value: 1.9 mg/l

Target: Air - Value: 190 mg/l - Notes:: Intermittent emissions

Target: Microorganisms in sewage treatments - Value: 4168 mg/l

Target: Marine water sediments - Value: 5.2 mg/kg

Target: Freshwater sediments - Value: 52.3 mg/kg

ETHANOL - CAS: 64-17-5

Target: Marine water - Value: 0.79 mg/l

Target: Fresh Water - Value: 0.96 mg/l

Target: Marine water sediments - Value: 2.9 mg/kg

Target: Soil (agricultural) - Value: 0.63 mg/kg

Target: Freshwater sediments - Value: 3.6 mg/kg

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices. Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions. See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Clear liquid, blue	Visual	



Odour:	Floral	Olfactory	
Odour threshold:	Evident	Olfactory	
pH:	9,0 +/- 0,5	Instrumental control	
Melting point / freezing point:	Not Relevant		
Initial boiling point and boiling range:	>=100°C		Estimated value on chemical / physical properties of components
Flash point:	>60 ° C		Estimated value on chemical / physical properties of components
Evaporation rate:	Not Relevant		Parameter not relevant for the type of product
Solid/gas flammability:	Not Relevant		Parameter not relevant for the type of product
Upper/lower flammability or explosive limits:	Not Relevant		Parameter not relevant for the type of product
Vapour pressure:	Not Relevant		Parameter not relevant for the type of product
Vapour density:	Not Relevant		Parameter not relevant for the type of product
Relative density:	1.000 g/ml	Instrumental control	
Solubility in water:	Total		Internal tests
Solubility in oil:	Partial		Internal tests
Partition coefficient (n-octanol/water):	<1000		Value estimated based on the solubility of the mixture.
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant		Parameter not relevant for the type of product
Viscosity:	< 10 cP		Estimated indicative value. Not viscous mixture.
Explosive properties:	Not Relevant		Parameter not relevant for product composition.
Oxidizing properties:	Not Relevant		Parameter not relevant for product composition.

## 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant		Parameter not relevant for the type of product
Fat Solubility:	Not Relevant		Parameter not relevant for the type of product
Conductivity:	Not Relevant		Parameter not relevant for the type of product
Substance Groups relevant properties	Not Relevant		Parameter not relevant for the type of product

# SECTION 10: Stability and reactivity 10.1. Reactivity

56202CLP/1 Page n. 6 of13



Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

- Do not use in combination with other products.
- 10.2. Chemical stability Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
- 10.3. Possibility of hazardous reactions

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also scetion 7.2.

- 10.4. Conditions to avoid Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2
- 10.5. Incompatible materials Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.
- 10.6. Hazardous decomposition products Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

## **SECTION 11: Toxicological information**

11.1. Information on toxicological effects Toxicological information of the product: FLOOR CLEANER RAPID a) acute toxicity Not classified Based on available data, the classification criteria are not met b) skin corrosion/irritation Not classified Based on available data, the classification criteria are not met c) serious eve damage/irritation Not classified Based on available data, the classification criteria are not met d) respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met g) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met i) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met i) aspiration hazard

56202CLP/1 Page n. 7 of13



Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: Below are reported, if available, the toxicological information of the components listed in paragraph 3.2. 2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Mouse = 2410 mg/kg Test: LD50 - Route: Skin - Species: Rabbit = 2764 mg/kg Test: LC50 - Route: Inhalation Vapour - Species: Rat > 29 ppm - Duration: 2h b) skin corrosion/irritation: Test: Skin Irritant No - Source: OECD 404 c) serious eye damage/irritation: Test: Eye Irritant Yes - Source: OECD 405 d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative e) germ cell mutagenicity: Test: Mutagenesis Negative f) carcinogenicity: Test: Carcinogenicity Negative a) reproductive toxicity: Test: Reproductive Toxicity Negative DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit = 9510 mg/kg Test: LC50 - Route: Inhalation - Species: Rat = 3.35 mg/l - Duration: 7h b) skin corrosion/irritation: Test: Skin Irritant Negative c) serious eye damage/irritation: Test: Eye Irritant Negative d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative ETHANOL - CAS: 64-17-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 6200 mg/kg - Source: OECD401 Test: LC50 - Route: Inhalation - Species: Rat > 50 mg/m3 - Source: OECD403 Test: LD50 - Route: Skin - Species: Rabbit = 20 g/kg c) serious eve damage/irritation: Test: Eye Irritant Positive - Source: OECD405 - Notes: Conc. >=50% 2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED - CAS: 166736-08-9 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404 c) serious eye damage/irritation: Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405 d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative - Source: OECD 406 e) germ cell mutagenicity: Test: Mutagenesis Negative - Source: Ames test

## **SECTION 12: Ecological information**

56202CLP/1 Page n. 8 of13



### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

FLOOR CLEANER RAPID

Not classified for environmental hazards

Based on available data, the classification criteria are not met

- 2-(2-BUTOXYETHOXY)ETHANOL CAS: 112-34-5
  - a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 1300 mg/l - Duration h: 96 - Notes: Lepomis macrochirus

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus

Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: > 1995 mg/l - Duration h: 0.5

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Poecilia reticulata Endpoint: LC50 - Species: Daphnia = 1919 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 969 mg/l - Duration h: 96 - Notes: Pseudokirchneriella subcapitata

Endpoint: LC50 - Species: Daphnia > 1000 mg/l - Duration h: 96 - Notes: Crangon crangon

Endpoint: EC50 - Species: Algae = 6999 mg/l - Duration h: 72 - Notes: Skeletonema costatum

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia > 0.5 mg/l - Duration h: 528 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: = 4168 mg/l - Duration h: 18 - Notes: Pseudomonas putida

## ETHANOL - CAS: 64-17-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae = 275 mg/l - Duration h: 72 - Notes: Chlorella vulgaris Endpoint: LC50 - Species: Fish = 13000 mg/l - Duration h: 96 - Notes: Salmo gairdneri Endpoint: EC50 - Species: Daphnia = 12340 mg/l - Duration h: 48 - Notes: Daphnia magna

2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED - CAS: 166736-08-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 10 mg/l - Duration h: 96 - Notes: Brachydanio rerio Endpoint: EC50 - Species: Daphnia > 10 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 10 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus

Endpoint: EC10 - Species: Algae > 1 mg/l - Notes: Desmodesmus subspicatus 12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

None

2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5

56202CLP/1 Page n. 9 of13



Biodegradability: Readily biodegradable - Test: OECD 301C - Duration: 28 days - %: 80-90

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Biodegradability: Readily biodegradable - Duration: 28 days - %: 75 - Notes: OECD 301F

ETHANOL - CAS: 64-17-5

Biodegradability: Readily biodegradable

2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED - CAS: 166736-08-9 Biodegradability: Readily biodegradable - Test: OECD 301B - Duration: 28 days - %: >60

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5

Bioaccumulation: Not bioaccumulative - Test: Kow - Partition coefficient 0.56 DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Bioaccumulation: Slightly bioaccumulative - Test: BCF - Bioconcentrantion factor - Notes: < 100

ETHANOL - CAS: 64-17-5

Bioaccumulation: Slightly bioaccumulative - Test: Kow - Partition coefficient -0.31 bility in soil

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

- Mobility in soil: Mobile
- 12.5. Results of PBT and vPvB assessment
  - vPvB Substances: None PBT Substances: None
- 12.6. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6.

## **SECTION 14: Transport information**

- 14.1. UN number
  - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
  - Not applicable
- 14.3. Transport hazard class(es)

56202CLP/1 Page n. 10 of13



Not applicable 14.4. Packing group Not applicable 14.5. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No 14.6. Special precautions for user Not applicable 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None 15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario -Annex I of this document.

## **SECTION 16: Other information**

Full text of phrases referred to in Section 3: H319 Causes serious eye irritation. H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H318 Causes serious eye damage.

Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Eye Dam. 1	3.3/1	Serious eye damage, Category 1



Eye Irrit. 2	3.3/2	Eye irritation, Category 2	
The classificati	on of the product is based	l on conventional calculation method.	
		etent person who has received appropriate training.	
Main bibliograp		Data and Information Natural Laint Descarab Contro	
		s Data and Information Network - Joint Research Centre	
	sion of the European Com		
Nostranc		ES OF INDUSTRIAL MATERIALS - Eight Edition - Van	
		ad an our state of knowledge at the should appeified date	
		ed on our state of knowledge at the above-specified date	
		I constitutes no guarantee of particular quality. is information is appropriate and complete with respect t	
		is information is appropriate and complete with respect i	
the specific use			
I NIS IVISUS car	icels and replaces any pro	aceaing release.	
ADR:	European Agreement co	ncerning the International Carriage of	
	Dangerous Goods by Ro		
CAS:	Chemical Abstracts Serv	vice (division of the American Chemical	
	Society).		
CLP:	Classification, Labeling, Packaging.		
DNEL:	Derived No Effect Level.		
EC0/10/20/50/	Effective concentration, f	for 0/10/20/50/100 percent of test population.	
100:			
EINECS:	European Inventory of Existing Commercial Chemical Substances.		
GefStoffVO:	Ordinance on Hazardous Substances, Germany.		
GHS:		stem of Classification and Labeling of	
	Chemicals.		
ATA:	International Air Transpo	ort Association.	
ATA-DGR:	Dangerous Goods Regu	lation by the "International Air Transport	
	Association" (IATA).		
ICAO:	International Civil Aviatio	n Organization.	
CAO-TI:	Technical Instructions by	/ the "International Civil Aviation Organization"	
	(ICAO).		
IMDG:		ode for Dangerous Goods.	
NCI:		ure of Cosmetic Ingredients.	
KSt:	Explosion coefficient.		
_C0/10/20/50/	Lethal concentration, for	0/10/20/50/100 percent of test population.	
100:			
LD0/10/20/50/	Lethal dose, for 0/10/20/	50/100 percent of test population.	
100:			
NOEC:	No Observed Effect Con	centration	
NOAEL(R)/N	No Observed Adverse E	ffect Level(Repeated)/Concentration	
DAEC:			
OECD:	Organisation for Econom	nic Co-operation and Development	
PNEC:	Predicted No Effect Concentration.		
RID:	Regulation Concerning t	he International Transport of Dangerous Goods	
	by Rail.		
STEL:	Short Term Exposure limit.		
	Specific Target Organ Toxicity.		
STOT:			
STOT: TLV:		<i>,</i>	
	Threshold Limiting Value Time-weighted average	).	



ANNEX I

PROFESSIONAL PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario	
Detergent for general cleaning: Manual process	S.
Use description	
Sector Use	SU22 – Professional use
Product Category	PC35 – Cleaning and washing product (including solvent based products)
Description of activities/process considered or	n exposure scenario.
Diluite with water as specified on the label, if n	ecessary.
Use following the use instruction as specified o	n the label.
Leave on.	
Rinse, if necessary.	
Frequency and duration	
Use phase	<ul> <li>1 time a day for daily cleaning detergents</li> <li>Periodical for specific detergents</li> </ul>
Relevant limit values of ingredients, if available	, are stated in section 8 of the SDS.
Physical appearence and concentration	
Liquid. To dilute or ready to use.	
In section 2 of the SDS of product and on the la	bel, the classification of mixture is provided.
Mixture classification is based on ingredients cl	assification and on chemical/physical properties stated in
section 9 of the SDS of product.	
Use conditions	
Room temperature	
Good general ventilation at workplace is suffici	ent.
Protection	r
See section 8 of the SDS of product to more	Training of worker to use and maintenance of PPE is
information on PPE.	supposed.
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.
No open flame.	Do not use in combination with other products
Wash hand after use.	
In case of accidental release: dilute with water	•
See section 6 of the SDS in case of accidental re	
•	or on technical sheet. Use good occupational hygiene
practices as specified in section 7 on the SDS.	
Environmental measures	
See section 6 of the SDS in case of accidental re	
	nformation of mixture and dangerous ingredients.
See section 13 of the SDS for disposal consideration	ations.

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment