

Safety Data Sheet dated 15/11/2017, version 1


SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification Trade name: **CLEANER & DEGREASER** 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Detergent for hard surfaces. Professional use (SU22) - Products for washing and cleaning (PC35) Uses advised against: Different uses than recommended. Do not use in combination with other products. 1.3. Details of the supplier of the safety data sheet Manufacturer: SUTTER INDUSTRIES s.p.a. - Società con Unico Socio 15060 Borghetto Borbera (AL) Italia Tel. +39 0143 631.1 Competent person responsible for the safety data sheet: regulatory.affairs@sutter.it 1.4. Emergency telephone number +39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.



Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards 2.2. Label elements Hazard pictograms:



Danger Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P280 Wear eye protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

56201CLP/1 Page n. 1 of 15



Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request. Contains

SODIUM DODECYLBENZENE SULFONATE SODIUM METASILICATE PENTAHYDRATE ISOTRIDECANOL ETHOXYLATED

Product contents:

soap, anionic surfactants, phosphates, non-ionic surfactants < 5 %

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
 - Not Applicable, the product is a mixture.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: >= 1% - < 3% SODIUM DODECYLBENZENE SULFONATE

- CAS: 25155-30-0, EC: 246-680-4
- 3.1/4/Oral Acute Tox. 4 H302
- 3.2/2 Skin Irrit. 2 H315
- 🟟 🛛 3.3/1 Eye Dam. 1 H318
- >= 1% < 3% SODIUM METASILICATE PENTAHYDRATE REACH No.: 01-2119449811-37, Index number: 014-010-00-8, CAS: 10213-79-3, EC: 229-912-9
- 3.2/1B Skin Corr. 1B H314
- 🟟 3.3/1 Eye Dam. 1 H318
- 3.8/3 STOT SE 3 H335
- 2.16/1 Met. Corr. 1 H290
- >= 1% < 3% ISOTRIDECANOL ETHOXYLATED REACH No.: 02-2119552461-55, CAS: 69011-36-5
- 3.1/4/Oral Acute Tox. 4 H302 $\langle ! \rangle$
- 🟟 🛛 3.3/1 Eye Dam. 1 H318
- >= 1% < 3% ETHOXYLATED FATTY ALCOHOL PHOSPHORIC ESTER CAS: 68071-35-2 3.2/2 Skin Irrit. 2 H315

56201CLP/1 Page n. 2 of 15



(1) 3.3/2 Eye Irrit. 2 H319

>= 1% - < 3% 2-(2-BUTOXYETHOXY)ETHANOL

REACH No.: 01-2119475104-44, Index number: 603-096-00-8, CAS: 112-34-5, EC: 203-961-6

3.3/2 Eye Irrit. 2 H319

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Severe skin and eye irritation for contact.

Irritation interior system if swallowed.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

56201CLP/1 Page n. 3 of15



The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

- Wash with plenty of water. To converge the product in containment tanks.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store in area dedicated to alkaly products, keep away from acids and oxygen or peracetic acid based oxidants.

Store away from sunlight.

Store in a cool and well ventilated place.

Do not store in open or unlabeled containers.

Keep away from food, drink and feed.

Incompatible materials:

Acids, oxygen-based oxidants, peracetic acid, organic substances.

Store in area dedicated to alkaly products, keep away from acids and oxygen based oxidants and peracetic acid.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2. See section 10.

Instructions as regards storage premises:

- Adequately ventilated premises.
- 7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3

EU - STEL(15min): 2 mg/m3 - Notes: sodium hydroxyde analogy



EU - STEL: 3 mg/m3 - Notes: OEL Inhalable fraction EU - STEL: 10 mg/m3 - Notes: OEL respirable fraction 2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5 EU - TWA(8h): 67.5 mg/m3, 10 ppm - STEL(15min): 101.2 mg/m3, 15 ppm - Notes: OEL EU - TWA(8h): 67.5 mg/m3, 10 ppm - STEL: 101.2 mg/m3, 15 ppm ACGIH - TWA(8h): 10 ppm - Notes: (IFV) - Hematologic, liver and kidney eff **DNEL Exposure Limit Values** Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2. SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3 Worker Industry: 6.22 mg/m3 - Consumer: 1.55 mg/m3 - Exposure: Human Inhalation -Frequency: Long Term, systemic effects Worker Industry: 1.49 mg/kg - Consumer: 0.74 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects - Notes: bw/d Consumer: 0.74 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: bw/d 2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5 Worker Industry: 67.5 mg/m3 - Consumer: 40.5 mg/m3 - Exposure: Human Inhalation -Frequency: Long Term, systemic effects Worker Industry: 83 mg/kg - Consumer: 50 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects Worker Industry: 101.2 mg/m3 - Consumer: 60.7 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects Consumer: 1.25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects **PNEC Exposure Limit Values** Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2. SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3 Target: Marine water - Value: 1 mg/l Target: Fresh Water - Value: 7.5 mg/l Target: Air - Value: 7.5 mg/l Target: Microorganisms in sewage treatments - Value: 1000 mg/l 2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5 Target: Marine water - Value: 0.11 mg/l Target: Marine water sediments - Value: 0.44 mg/kg Target: Microorganisms in sewage treatments - Value: 200 mg/l Target: Soil (agricultural) - Value: 0.32 mg/kg Target: Food chain - Value: 56 mg/kg Target: Fresh Water - Value: 1.1 mg/l Target: Freshwater sediments - Value: 4.4 mg/kg Target: Air - Value: 11 mg/l 8.2. Exposure controls Eve protection: Use close fitting safety goggles, don't use eye lens.(EN 166) Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or

viton (EN 14605 in case of splashes or EN 13982 in case of dust) Protection for hands:



Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 6.2. Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions. See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

, ,

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Properties | Value | Method: | Notes: |
|--|---|----------------------|---|
| Appearance and colour: | Opaque liquid, colorless/yello w | Visual | |
| Odour: | Technical | Olfactory | |
| Odour threshold: | Evident | Olfactory | |
| pH: | 12,0 +/- 0,5 | Instrumental control | |
| Melting point / freezing point: | Not Relevant | | Parameter not relevant for the type of product |
| Initial boiling point and boiling range: | >= 100 °C | | Estimated value on chemical / physical properties of components |
| Flash point: | > 65 ° C | | Estimated value on chemical / physical properties of components |
| Evaporation rate: | Not Relevant | | Parameter not relevant for the type of product |
| Solid/gas flammability: | Not Relevant | | Parameter not relevant for the type of product |
| Upper/lower flammability or explosive limits: | Not Relevant | | Parameter not relevant for the type of product |
| Vapour pressure: | Not Relevant | | Parameter not relevant for the type of product |
| Vapour density: | Not Relevant | | Parameter not relevant for the type of product |
| Relative density: | 1.036 g/ml | Instrumental control | |
| Solubility in water: | Total | | Internal tests |



| Solubility in oil: | Partial | Internal tests |
|--|--------------|---|
| Partition coefficient (n-octanol/water): | < 1000 | Value estimated based on the solubility of the mixture. |
| Auto-ignition temperature: | Not Relevant | Parameter not relevant for the type of product |
| Decomposition temperature: | Not Relevant | Parameter not relevant for the type of product |
| Viscosity: | < 10 cP | Estimated indicative value. Not viscous mixture. |
| Explosive properties: | Not Relevant | Parameter not relevant for product composition. |
| Oxidizing properties: | Not Relevant | Parameter not relevant for product composition. |

9.2. Other information

| Properties | Value | Method: | Notes: |
|---|--------------|---------|--|
| Miscibility: | Not Relevant | | Parameter not relevant for the type of product |
| Fat Solubility: | Not Relevant | | Parameter not relevant for the type of product |
| Conductivity: | Not Relevant | | Parameter not relevant for the type of product |
| Substance Groups relevant properties | Not Relevant | | Parameter not relevant for the type of product |

SECTION 10: Stability and reactivity

10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

- 10.2. Chemical stability Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
- 10.3. Possibility of hazardous reactions

Store in area dedicated to alkaly products, keep away from acids and oxygen or peracetic acid based oxidants.

In normal conditions no dangerous reactions of the mixture

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also scetion 7.2.

10.4. Conditions to avoid

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

10.5. Incompatible materials

Acids, oxygen-based oxidants, peracetic acid, organic substances.

Store in area dedicated to alkaly products, keep away from acids and oxygen based oxidants and peracetic acid.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products

56201CLP/1 Page n. 7 of15



Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 11: Toxicological information

11.1. Information on toxicological effects Toxicological information of the product: **CLEANER & DEGREASER** a) acute toxicity Not classified Based on available data, the classification criteria are not met b) skin corrosion/irritation The product is classified: Skin Corr. 1A H314 c) serious eye damage/irritation The product is classified: Eye Dam. 1 H318 d) respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met g) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met i) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met i) aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: Below are reported, if available, the toxicological information of the components listed in paragraph 3.2. SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 1152 mg/kg Test: LC50 - Route: Inhalation - Species: Rat > 2.06 g/m3 - Duration: 4h Test: LD50 - Route: Skin - Species: Rat > 5000 mg/kg bw/d b) skin corrosion/irritation: Test: Skin Corrosive - Route: Skin Positive c) serious eye damage/irritation: Test: Eye Corrosive Positive d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative h) STOT-single exposure: Test: STOT Sing STOT I i) STOT-repeated exposure: Test: NOAEL - Route: Oral - Species: Rat = 227 mg/kg bw/d ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

56201CLP/1 Page n. 8 of15



a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg - Source: OECD 423 Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OECD 402 b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404 c) serious eye damage/irritation: Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405 ETHOXYLATED FATTY ALCOHOL PHOSPHORIC ESTER - CAS: 68071-35-2 a) acute toxicity: Test: LD50 - Route: Oral > 2000 mg/kg b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin Positive c) serious eye damage/irritation: Test: Eye Irritant Positive 2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Mouse = 2410 mg/kg Test: LD50 - Route: Skin - Species: Rabbit = 2764 mg/kg Test: LC50 - Route: Inhalation Vapour - Species: Rat > 29 ppm - Duration: 2h b) skin corrosion/irritation: Test: Skin Irritant No - Source: OECD 404 c) serious eye damage/irritation: Test: Eye Irritant Yes - Source: OECD 405 d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative e) germ cell mutagenicity: Test: Mutagenesis Negative f) carcinogenicity: Test: Carcinogenicity Negative g) reproductive toxicity: Test: Reproductive Toxicity Negative

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

CLEANER & DEGREASER

Not classified for environmental hazards

Based on available data, the classification criteria are not met

SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 210 mg/l - Duration h: 96 - Notes: Brachydanio rerio Endpoint: EC50 - Species: Daphnia = 1700 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae = 207 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus

ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 - Notes: Cyprinus carpio Endpoint: EC50 - Species: Daphnia > 1 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 1 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus



b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia > 1 mg/l - Duration h: 504 - Notes: Daphnia magna c) Bacteria toxicity: Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: > 10000 mg/l -Duration h: 17 ETHOXYLATED FATTY ALCOHOL PHOSPHORIC ESTER - CAS: 68071-35-2 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 101 mg/l - Duration h: 96 2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 1300 mg/l - Duration h: 96 - Notes: Lepomis macrochirus Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: > 1995 mg/l -Duration h: 0.5 12.2. Persistence and degradability Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5 Biodegradability: Readily biodegradable - Test: CO2 production - Duration: 28 days -%: >60 Test: OECD 301E - %: 90 ETHOXYLATED FATTY ALCOHOL PHOSPHORIC ESTER - CAS: 68071-35-2 Biodegradability: Readily biodegradable - Test: OECD 301D - Notes: >60% 2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5 Biodegradability: Readily biodegradable - Test: OECD 301C - Duration: 28 days - %: 80-90 The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer. 12.3. Bioaccumulative potential Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5 Bioaccumulation: Not bioaccumulative 2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5 Bioaccumulation: Not bioaccumulative - Test: Kow - Partition coefficient 0.56 12.4. Mobility in soil Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. Not applicable 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None 12.6. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

56201CLP/1 Page n. 10 of15



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6

SECTION 14: Transport information



| 14.1. UN number ADR-UN Number: IATA-UN Number: IMDG-UN Number: 14.2. UN proper shipping name | 1760 1760 1760 |
|--|---|
| ADR-Shipping Name: | CORROSIVE LIQUID, N.O.S. (sodium metasilicate |
| | pentahydrate) |
| IATA-Shipping Name: | CORROSIVE LIQUID, N.O.S. (sodium metasilicate pentahydrate) |
| IMDG-Shipping Name: | CORROSIVE LIQUID, N.O.S. (sodium metasilicate pentahydrate) |
| 14.3. Transport hazard class(es) | |
| ADR-Class: | 8 |
| ADR - Hazard identification nu | |
| IATA-Class: | 8 |
| ADR/IMDG/IATA-Label: | 8 |
| IMDG-Class: | 8 |
| 14.4. Packing group | |
| ADR-Packing Group: | |
| IATA-Packing group: | |
| IMDG-Packing group: 14.5. Environmental hazards | 111 |
| ADR-Environmental Pollutant: | No |
| | No |
| IMDG-Marine pollutant: 14.6. Special precautions for user | NU |
| ADR-Subsidiary risks: | |
| ADR-Subsidiary fisks. | - 274 |
| ADR-3.r ADR-Transport category (Tunr | |
| IATA-Passenger Aircraft: | 852 |
| IATA-Subsidiary risks: | - |
| IATA-Cargo Aircraft: | 856 |
| IATA-S.P.: | - |
| IATA-ERG: | 8L |
| IMDG-S.P.: | 223 274 |
| IMDG-EmS: | F-A , S-B |
| IMDG-Subsidiary risks: | , |
| IMDG-Stowage and handling: | Category A |
| IMDG-Segregation: | SW2 |
| 5 5 | |



14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

- Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None
- 15.2. Chemical safety assessment No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario -Annex I of this document.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H290 May be corrosive to metals.

H319 Causes serious eye irritation.

| Hazard class and hazard category | Code | Description |
|-------------------------------------|------------|---|
| Met. Corr. 1 | 2.16/1 | Substance or mixture corrosive to metals, Category 1 |
| Acute Tox. 4 | 3.1/4/Oral | Acute toxicity (oral), Category 4 |
| Skin Corr. 1A | 3.2/1A | Skin corrosion, Category 1A |
| Skin Corr. 1B | 3.2/1B | Skin corrosion, Category 1B |
| Skin Irrit. 2 | 3.2/2 | Skin irritation, Category 2 |
| Eye Dam. 1 | 3.3/1 | Serious eye damage, Category 1 |



| Eye Irrit. 2 | 3.3/2 | Eye irritation, Category 2 |
|--------------|-------|---|
| STOT SE 3 | 3.8/3 | Specific target organ toxicity - single exposure, Category 3 |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| Classification according to Regulation (EC) Nr. 1272/2008 | Classification procedure |
|---|----------------------------|
| Skin Corr. 1A, H314 | On basis of test data (pH) |
| Eye Dam. 1, H318 | On basis of test data (pH) |

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

| ADR: | European Agreement concerning the International Carriage of Dangerous Goods by Road. |
|-----------------------|---|
| CAS: | Chemical Abstracts Service (division of the American Chemical Society). |
| CLP: | Classification, Labeling, Packaging. |
| DNEL: | Derived No Effect Level. |
| EC0/10/20/50/ | Effective concentration, for 0/10/20/50/100 percent of test population. |
| 100: | |
| EINECS: | European Inventory of Existing Commercial Chemical Substances. |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany. |
| GHS: | Globally Harmonized System of Classification and Labeling of Chemicals. |
| IATA: | International Air Transport Association. |
| IATA-DGR: | Dangerous Goods Regulation by the "International Air Transport Association" (IATA). |
| ICAO: | International Civil Aviation Organization. |
| ICAO-TI: | Technical Instructions by the "International Civil Aviation Organization" (ICAO). |
| IMDG: | International Maritime Code for Dangerous Goods. |
| INCI: | International Nomenclature of Cosmetic Ingredients. |
| KSt: | Explosion coefficient. |
| LC0/10/20/50/ 100: | Lethal concentration, for 0/10/20/50/100 percent of test population. |
| LD0/10/20/50/ 100: | Lethal dose, for 0/10/20/50/100 percent of test population. |
| NOEC: | No Observed Effect Concentration |
| NOAEL(R)/N | No Observed Adverse Effect Level(Repeated)/Concentration |
| OAEC: | |
| OECD: | Organisation for Economic Co-operation and Development |
| PNEC: | Predicted No Effect Concentration. |
| | |



| RID: | Regulation Concerning the International Transport of Dangerous Goods by Rail. |
|-------|---|
| STEL: | Short Term Exposure limit. |
| STOT: | Specific Target Organ Toxicity. |
| TLV: | Threshold Limiting Value. |
| TWA: | Time-weighted average |
| WGK: | German Water Hazard Class. |



ANNEX I

PROFESSIONAL PRODUCT – DETERGENT FOR HARD SURFACES

| Title of exposure scenario | | |
|--|--|--|
| Detergent for general cleaning: Manual process | S. | |
| Use description | | |
| Sector Use | SU22 – Professional use | |
| Product Category | PC35 – Cleaning and washing product (including solvent based products) | |
| Description of activities/process considered or | n exposure scenario. | |
| Diluite with water as specified on the label, if n | ecessary. | |
| Use following the use instruction as specified o | n the label. | |
| Leave on. | | |
| Rinse, if necessary. | | |
| Frequency and duration | | |
| Use phase | 1 time a day for daily cleaning detergents Periodical for specific detergents | |
| Relevant limit values of ingredients, if available | , are stated in section 8 of the SDS. | |
| Physical appearence and concentration | | |
| Liquid. To dilute or ready to use. | | |
| In section 2 of the SDS of product and on the la | bel, the classification of mixture is provided. | |
| Mixture classification is based on ingredients cl | assification and on chemical/physical properties stated in | |
| section 9 of the SDS of product. | | |
| Use conditions | | |
| Room temperature | | |
| Good general ventilation at workplace is suffici | ent. | |
| Protection | 1 | |
| See section 8 of the SDS of product to more | Training of worker to use and maintenance of PPE is | |
| information on PPE. | supposed. | |
| Don't eat or drink, don't smoke. | Avoid contact with damaged skin. | |
| No open flame. | Do not use in combination with other products | |
| Wash hand after use. | | |
| In case of accidental release: dilute with water | • | |
| See section 6 of the SDS in case of accidental re | | |
| • | or on technical sheet. Use good occupational hygiene | |
| practices as specified in section 7 on the SDS. | | |
| Environmental measures | | |
| See section 6 of the SDS in case of accidental re | | |
| | nformation of mixture and dangerous ingredients. | |
| See section 13 of the SDS for disposal consideration | ations. | |

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment