

#### Safety Data Sheet dated 13/11/2017, version 1

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification

Trade name: MULTI PURPOSE CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Detergent for hard surfaces.

Professional use (SU22) - Products for washing and cleaning (PC35)

Uses advised against:

Different uses than recommended. Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio

15060 Borghetto Borbera (AL) Italia

Tel. +39 0143 631.1

Competent person responsible for the safety data sheet:

regulatory.affairs@sutter.it

1.4. Emergency telephone number

+39 0143 631.1 mon-fri 9.00/17.00

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request.

Product contents:

anionic surfactants < 5 %

The product also contains: Perfumes

Preservatives: METHYLISOTHIAZOLINONE, BENZISOTHIAZOLINONE,

N-(3-AMINOPROPYL)-N-DODECYLPROPAN-1,3-DIAMINE

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None



Other Hazards:

No other hazards

#### **SECTION 3: Composition/information on ingredients**

3.1. Substances

Not Applicable, the product is a mixture.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: >= 3% - < 5% ETHANOL

REACH No.: 01-2119457610-43, Index number: 603-002-00-5, CAS: 64-17-5, EC: 200-578-6

- 2.6/2 Flam. Liq. 2 H225
- 3.3/2 Eye Irrit. 2 H319
- >= 1% < 3% 1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER REACH No.: 01-2119457435-35, Index number: 603-064-00-3, CAS: 107-98-2, EC: 203-539-1
- 2.6/3 Flam. Liq. 3 H226
- 3.8/3 STOT SE 3 H336

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

#### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.



5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water. To converge the product in containment tanks.

6.4. Reference to other sections

See also section 8 and 13

#### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store away from sunlight.

Store in a cool and well ventilated place.

Do not store in open or unlabeled containers.

Store away from heat sources.

Keep away from food, drink and feed.

Incompatible materials:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability, see also 1.2 and 7.2.

See section 10.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

#### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.



ETHANOL - CAS: 64-17-5

EU - TWA(8h): 1920 mg/m3, 1000 ppm - Notes: WEL ACGIH - STEL: 1000 ppm - Notes: A3 - URT irr

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

EU - TWA(8h): 375 mg/m3, 100 ppm - STEL: 563 mg/m3, 150 ppm - Notes: Skin ACGIH - TWA(8h): 50 ppm - STEL: 100 ppm - Notes: A4 - Eye and URT irr

#### **DNEL Exposure Limit Values**

Until the revision date of this document, no experimental data—are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

ETHANOL - CAS: 64-17-5

Worker Industry: 1900 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 950 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 343 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: bw/day

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Worker Industry: 50.6 mg/kg - Consumer: 18.1 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 369 mg/m3 - Consumer: 43.9 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 3.3 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 553.5 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

#### **PNEC Exposure Limit Values**

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

ETHANOL - CAS: 64-17-5

Target: Marine water - Value: 0.79 mg/l Target: Fresh Water - Value: 0.96 mg/l

Target: Marine water sediments - Value: 2.9 mg/kg Target: Soil (agricultural) - Value: 0.63 mg/kg Target: Freshwater sediments - Value: 3.6 mg/kg

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Target: Marine water - Value: 1 mg/l

Target: Soil (agricultural) - Value: 4.59 mg/kg

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Target: Marine water sediments - Value: 5.2 mg/kg Target: Freshwater sediments - Value: 52.3 mg/kg

Target: Fresh Water - Value: 10 mg/l

Target: Air - Value: 100 mg/l

#### 8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.



Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

The product is not dangerous for the environment - see section 2.1.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:	
Appearance and colour:	Clear liquid,	Visual		
	blue			
Odour:	Apple vinegar	Olfactory		
Odour threshold:	Evident	Olfactory		
pH:	10,5 +/- 0,5	Instrumental control		
Melting point / freezing point:	Not Relevant		Parameter not relevant for the type of product	
Initial boiling point and boiling range:	> 100°C		Estimated value on chemical / physical properties of components	
Flash point:	> 60 ° C	ABEL PENSKY		
Evaporation rate:	Not Relevant		Parameter not relevant for the type of product	
Solid/gas flammability:	Not Relevant		Parameter not relevant for the type of product	
Upper/lower flammability or explosive limits:	Not Relevant		Parameter not relevant for the type of product	
Vapour pressure:	Not Relevant		Parameter not relevant for the type of product	
Vapour density:	Not Relevant		Parameter not relevant for the type of product	
Relative density: 0.992 g/ml		Instrumental control		
Solubility in water:	Total		Internal tests	
Solubility in oil:	Partial		Internal tests	
Partition coefficient (n-octanol/water):	<1000		Value estimated based on the solubility of the mixture.	
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the type of product	
Decomposition temperature:	Not Relevant		Parameter not relevant for the type of product	
/iscosity: < 10 cP			Estimated indicative value. Not	



		viscous mixture.
Explosive properties:	Not Relevant	 Parameter not relevant for product composition.
Oxidizing properties:	Not Relevant	 Parameter not relevant for product composition.

#### 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant		Parameter not relevant for the type of product
Fat Solubility:	Not Relevant		Parameter not relevant for the type of product
Conductivity:	Not Relevant		Parameter not relevant for the type of product
Substance Groups relevant properties	Not Relevant		Parameter not relevant for the type of product

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

#### 10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

#### 10.3. Possibility of hazardous reactions

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also scetion 7.2.

#### 10.4. Conditions to avoid

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

#### 10.5. Incompatible materials

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

#### 10.6. Hazardous decomposition products

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

#### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Toxicological information of the product:

MULTI PURPOSE CLEANER

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

c) serious eye damage/irritation

Not classified



Based on available data, the classification criteria are not met d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.

ETHANOL - CAS: 64-17-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 6200 mg/kg - Source: OECD401 Test: LC50 - Route: Inhalation - Species: Rat > 50 mg/m3 - Source: OECD403

Test: LD50 - Route: Skin - Species: Rabbit = 20 g/kg

c) serious eye damage/irritation:

Test: Eye Irritant Positive - Source: OECD405 - Notes: Conc. >=50%

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 4016 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 25.8 mg/l - Duration: 6h

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rat Negative - Source: OECD 404

d) respiratory or skin sensitisation:

Test: NOAEC - Route: Skin - Species: Rabbit > 1000 mg/kg - Source: OECD 410 -

Notes: bw/day

Test: NOAEC - Route: Inhalation - Species: Rabbit = 1000 ppm - Source: OECD 413 -

Notes: bw/day

f) carcinogenicity:

Test: NOAEC - Species: Mouse = 3000 ppm

g) reproductive toxicity:

Test: NOAEC - Species: Rat = 1500 ppm - Source: OECD 414

ETHANOL - CAS: 64-17-5

LD50 (RABBIT) ORAL: 6300 MG/KG

LD50 (RAT) ORAL SINGLE DOSE: 7060 MG/KG

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2



LD50 (RABBIT) ORAL: 8 G/KG (8000 MG/KG)

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

#### MULTI PURPOSE CLEANER

Not classified for environmental hazards

Based on available data, the classification criteria are not met

#### ETHANOL - CAS: 64-17-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae = 275 mg/l - Duration h: 72 - Notes: Chlorella vulgaris Endpoint: LC50 - Species: Fish = 13000 mg/l - Duration h: 96 - Notes: Salmo gairdneri Endpoint: EC50 - Species: Daphnia = 12340 mg/l - Duration h: 48 - Notes: Daphnia magna

#### 1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Onchorynchus mykiss

Endpoint: EC50 - Species: Daphnia > 21100 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 168 - Notes: Selenastrum capricornutum

#### 12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

None

ETHANOL - CAS: 64-17-5

Biodegradability: Readily biodegradable

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Biodegradability: Readily biodegradable - Duration: 28 days - %: 96 - Notes: Test OECD 301

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

#### 12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ETHANOL - CAS: 64-17-5

Bioaccumulation: Slightly bioaccumulative - Test: Kow - Partition coefficient -0.31 1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Bioaccumulation: Slightly bioaccumulative - Test: BCF - Bioconcentrantion factor - Notes: <100

12.4. Mobility in soil



Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Mobility in soil: Mobile

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains.

See also section 6.

#### **SECTION 14: Transport information**

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions:





Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

#### 15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

#### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure,
		Category 3

The classification of the product is based on conventional calculation method.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EC0/10/20/50/ Effective concentration, for 0/10/20/50/100 percent of test population.

100:

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

56220CLP/1

Page n. 10 of12





IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Áviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC0/10/20/50/ Lethal concentration, for 0/10/20/50/100 percent of test population.

100:

LD0/10/20/50/ Lethal dose, for 0/10/20/50/100 percent of test population.

100:

NOEC: No Observed Effect Concentration

NOAEL(R)/N No Observed Adverse Effect Level(Repeated)/Concentration

OAEC:

OECD: Organisation for Economic Co-operation and Development

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.



#### ANNEX I PROFESSIONAL TRIGGER PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario				
Detergent for general cleaning: Manual process.				
Use description				
Sector Use	SU22 – Professional use			
Product Category	PC35 – Cleaning and washing product (including solvent based products)			
Description of activities/process considered on o	exposure scenario.			
If required, transfer product from canister to trigger bottle.				
Use following the use instruction as specified on	the label.			
Leave on.				
Rinse, if necessary.				
Frequency and duration				
Use phase	Daily, depending on room size and room dirty conditions.			
Relevant limit values of ingredients, if available, a	are stated in section 8 of the SDS.			
Physical appearence and concentration				
Liquid. To diluite or ready to use.				
In section 2 of the SDS of product and on the labe	el the classification of mixture is provided.			
Mixture classification is based on ingredients clas	sification and on chemical/physical properties stated in			
section 9 of the SDS of product.				
Use conditions				
Room temperature				
Good general ventilation at workplace is sufficien	nt.			
Protection				
Avoid spray inhalation.				
See section 8 of the SDS of product to more	Training of worker to use and maintenance of PPE is			
information on PPE.	supposed.			
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.			
No open flame.	Do not use in combination with other products			
Wash hand after use.				
In case of accidental release: dilute with water and dry.				
See section 6 of the SDS in case of accidental release				
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene				
practices as specified in section 7 on the SDS.				
Misure ambientali				
See section 6 of the SDS in case of accidental release				
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.				
See section 13 of the SDS for disposal considerations.				

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment

56220CLP/1 Page n. 12 of12