
SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification

Trade name: **SPLENDIDO**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Detergent for hard surfaces.

Professional use (SU22) - Products for washing and cleaning (PC35)

Uses advised against:

Different uses than recommended. Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio

15060 Borghetto Borbera (AL) Italia

Tel. +39 0143 631.1

Competent person responsible for the safety data sheet:

regulatory.affairs@sutter.it

1.4. Emergency telephone number

+39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

 **Danger, Aerosols 1, Extremely flammable aerosol. Pressurized container: may burst if heated.**

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H222+H229 Extremely flammable aerosol. Pressurized container: may burst if heated.

Precautionary statements:

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request.

Safety Data Sheet SPLENDIDO

Product contents:

The product also contains: Perfumes

Allergens:

Preservatives:

Special provisions according to Annex XVII of REACH and subsequent amendments:

Restricted to professional users.

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable, the product is a mixture.

Not applicable

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 3% - < 5% 1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER

REACH No.: 01-2119457435-35, Index number: 603-064-00-3, CAS: 107-98-2, EC:

203-539-1

 2.6/3 Flam. Liq. 3 H226

 3.8/3 STOT SE 3 H336

>= 3% - < 5% 2-BUTOXYETHANOL; ETHYLENE GLYCOL MONOBUTYL ETHER; BUTYL CELLOSOLVE

REACH No.: 01-2119475108-36, Index number: 603-014-00-0, CAS: 111-76-2, EC:

203-905-0

 3.3/2 Eye Irrit. 2 H319

 3.2/2 Skin Irrit. 2 H315

 3.1/4/Oral Acute Tox. 4 H302

 3.1/4/Dermal Acute Tox. 4 H312

 3.1/4/Inhal Acute Tox. 4 H332

>= 1% - < 3% DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL

REACH No.: 01-2119450011-60, CAS: 34590-94-8, EC: 252-104-2

substance with a Community workplace exposure limit

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Safety Data Sheet

SPLENDIDO

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Until revision date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

CO2 or Dry chemical fire extinguisher.

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

The product does not contain ingredients classified as explosive according to Regulation 1272/2008/EC (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water. To converge the product in containment tanks.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store away from sunlight.
Store in a place with flame proof system.
Store in a cool and well ventilated place.
Store away from heat sources.
Do not store in open or unlabeled containers.
Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.
Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.
Keep away from food, drink and feed.
Incompatible materials:
See section 10.
Instructions as regards storage premises:
Cool and adequately ventilated.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture.

Below, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS:
107-98-2

EU - LTE(8h): 375 mg/m³, 100 ppm - STE: 568 mg/m³, 150 ppm - Notes: Bold-type: Indicative Occupational Exposure Limit Values [2,3] and Limit Values for Occupational Exposure [4] (for references see bibliography)

ACGIH - LTE(8h): 50 ppm - STE: 100 ppm - Notes: A4 - Eye and URT irr

2-BUTOXYETHANOL; ETHYLENE GLYCOL MONOBUTYL ETHER; BUTYL CELLOSOLVE - CAS: 111-76-2

ACGIH - LTE(8h): 98 mg/m³, 20 ppm - STE(15min): 246 mg/m³, 50 ppm - Notes: Skin OEL 8h - 98 mg/m³ - 20 ppm

OEL short - 246 mg/m³ - 50 ppm

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

EU - LTE(8h): 308 mg/m³, 50 ppm - Notes: Skin

ACGIH - LTE(8h): 100 ppm - STE: 150 ppm - Notes: Skin - Eye and URT irr, CNS impair

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture.

Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS:
107-98-2

Worker Industry: 50.6 mg/kg - Consumer: 18.1 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 369 mg/m³ - Consumer: 43.9 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Safety Data Sheet
SPLENDIDO



Consumer: 3.3 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 553.5 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects

2-BUTOXYETHANOL; ETHYLENE GLYCOL MONOBUTYL ETHER; BUTYL CELLOSOLVE - CAS: 111-76-2

Worker Industry: 75 mg/kg - Consumer: 38 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: day

Worker Industry: 20 mg/m³ - Consumer: 49 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 3.2 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: day

Worker Industry: 246 mg/m³ - Consumer: 123 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 652 mg/m³ - Consumer: 426 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, systemic effects - Notes: day

Worker Industry: 89 mg/kg - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Consumer: 26.7 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Worker Industry: 65 mg/kg - Consumer: 15 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 308 mg/m³ - Consumer: 37.2 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 1.67 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture.

Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Target: Marine water - Value: 1 mg/l

Target: Soil (agricultural) - Value: 4.59 mg/kg

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Target: Marine water sediments - Value: 5.2 mg/kg

Target: Freshwater sediments - Value: 52.3 mg/kg

2-BUTOXYETHANOL; ETHYLENE GLYCOL MONOBUTYL ETHER; BUTYL CELLOSOLVE - CAS: 111-76-2

Target: Marine water sediments - Value: 3.46 mg/kg

Target: Soil (agricultural) - Value: 2.33 mg/kg

Target: Marine water - Value: 0.88 mg/l

Target: Microorganisms in sewage treatments - Value: 463 mg/l

Target: Freshwater sediments - Value: 34.6 mg/kg

Target: Fresh Water - Value: 8.8 mg/l

Target: Air - Value: 9.1 mg/l

Target: Food chain - Value: 20 mg/kg

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Target: Marine water - Value: 1.9 mg/l

Target: Air - Value: 190 mg/l - Notes: Intermittent emissions

Target: Microorganisms in sewage treatments - Value: 4168 mg/l

Target: Marine water sediments - Value: 5.2 mg/kg

Target: Freshwater sediments - Value: 52.3 mg/kg

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

Closed containers may explode if heated.

The product is flammable.

The product is not explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Not applicable (aerosol)	--	--
Odour:	Cologne	Olfactory	--
Odour threshold:	Evident	Olfactory	--
pH:	Not Relevant	--	Parameter not relevant for the type of product
Melting point / freezing point:	Not Relevant	--	Parameter not relevant for the type of product
Initial boiling point and boiling range:	Not Relevant	--	Parameter not relevant for the type of product
Flash point:	Not Relevant	--	Parameter not relevant for the type of product
Evaporation rate:	Not Relevant	--	Parameter not relevant for the type of product
Solid/gas flammability:	Not Relevant	--	Parameter not relevant for the type of product
Upper/lower flammability or explosive limits:	Not Relevant	--	Parameter not relevant for the type of product
Vapour pressure:	Not Relevant	--	Parameter not relevant for the type of product
Vapour density:	Not Relevant	--	Parameter not relevant for the type of product
Relative density:	Not Relevant	--	Parameter not relevant for the type of product

Solubility in water:	Partial	--	Internal test
Solubility in oil:	Partial	--	Internal test
Partition coefficient (n-octanol/water):	< 1000	--	Value estimated based on the solubility of the mixture.
Auto-ignition temperature:	Not Relevant	--	Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant	--	Parameter not relevant for the type of product
Viscosity:	Not Relevant	--	Parameter not relevant for the type of product
Explosive properties:	Not Relevant	--	Parameter not relevant for product composition.
Oxidizing properties:	Not Relevant	--	Parameter not relevant for product composition.

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant	--	Parameter not relevant for the type of product
Fat Solubility:	Not Relevant	--	Parameter not relevant for the type of product
Conductivity:	Not Relevant	--	Parameter not relevant for the type of product
Substance Groups relevant properties	Not Relevant	--	Parameter not relevant for the type of product

SECTION 10: Stability and reactivity

10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 7.2.

10.4. Conditions to avoid

Avoid direct sunlight and exposure to heat sources.

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

10.5. Incompatible materials

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Safety Data Sheet

SPLENDIDO



Toxicological information of the mixture:

Until the revision date of this document, are not available experimental toxicological data on the mixture.

For the classification of the mixture see section 2.1.

Not applicable

Toxicological information of the main substances found in the mixture:

Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 4016 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 25.8 mg/l - Duration: 6h

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rat Negative - Source: OECD 404

d) respiratory or skin sensitisation:

Test: NOAEC - Route: Skin - Species: Rabbit > 1000 mg/kg - Source: OECD 410 -

Notes: bw/day

Test: NOAEC - Route: Inhalation - Species: Rabbit = 1000 ppm - Source: OECD 413 -

Notes: bw/day

f) carcinogenicity:

Test: NOAEC - Species: Mouse = 3000 ppm

g) reproductive toxicity:

Test: NOAEC - Species: Rat = 1500 ppm - Source: OECD 414

2-BUTOXYETHANOL; ETHYLENE GLYCOL MONOBUTYL ETHER; BUTYL CELLOSOLVE - CAS: 111-76-2

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat = 20 mg/l - Duration: 4h

Test: LD50 - Route: Oral - Species: Rat = 1300 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit = 1100 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant Yes

c) serious eye damage/irritation:

Test: Eye Irritant Yes - Source: OECD 405

d) respiratory or skin sensitisation:

Test: Skin or Resp. Sensitization No

e) germ cell mutagenicity:

Test: Mutagenesis Negative

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit = 9510 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat = 3.35 mg/l - Duration: 7h

b) skin corrosion/irritation:

Test: Skin Irritant Negative

c) serious eye damage/irritation:

Test: Eye Irritant Negative

d) respiratory or skin sensitisation:

Test: Skin or Resp. Sensitization Negative

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as Not Applicable:

a) acute toxicity;

- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

The environmental hazard of the product are reported in Section 2.1 if applicable.

Until the revision date of this document, are not available experimental data on the mixture.

Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Onchorynchus mykiss

Endpoint: EC50 - Species: Daphnia > 21100 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 168 - Notes: Selenastrum capricornutum

2-BUTOXYETHANOL; ETHYLENE GLYCOL MONOBUTYL ETHER; BUTYL CELLOSOLVE - CAS: 111-76-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 1474 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EC50 - Species: Daphnia = 1550 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae = 911 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

Endpoint: NOEC - Species: Daphnia = 100 mg/l - Duration h: 504 - Notes: Daphnia magna

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish > 100 mg/kg - Duration h: 504 - Notes: Brachydanio rerio

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Poecilia reticulata

Endpoint: LC50 - Species: Daphnia = 1919 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 969 mg/l - Duration h: 96 - Notes: Pseudokirchneriella subcapitata

Endpoint: LC50 - Species: Daphnia > 1000 mg/l - Duration h: 96 - Notes: Crangon crangon

Endpoint: EC50 - Species: Algae = 6999 mg/l - Duration h: 72 - Notes: Skeletonema costatum

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia > 0.5 mg/l - Duration h: 528 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: = 4168 mg/l - Duration h: 18 - Notes: Pseudomonas putida

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Biodegradability: Readily biodegradable - Duration: 28 days - %: 96 - OECD 301

2-BUTOXYETHANOL; ETHYLENE GLYCOL MONOBUTYL ETHER; BUTYL CELLOSOLVE - CAS: 111-76-2

Biodegradability: Readily biodegradable - Duration: 28 days - %: 90 - OECD301B

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Biodegradability: Readily biodegradable - Duration: 28 days - %: 75 OECD 301F

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Bioaccumulation: Slightly bioaccumulative - Test: BCF - Bioconcentration factor <100

2-BUTOXYETHANOL; ETHYLENE GLYCOL MONOBUTYL ETHER; BUTYL CELLOSOLVE - CAS: 111-76-2

Bioaccumulation: Not bioaccumulative - Test: Log Pow - Partition coefficient 0.8 -

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Bioaccumulation: Slightly bioaccumulative - Test: BCF - Bioconcentration factor < 100

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Mobility in soil: Mobile

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Mobility in soil: Mobile

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains.
See also section 6

SECTION 14: Transport information



- 14.1. UN number
ADR-UN Number: 1950
IATA-UN Number: 1950
IMDG-UN Number: 1950
- 14.2. UN proper shipping name
ADR-Shipping Name: AEROSOLS
IATA-Shipping Name: AEROSOLS, Flammable
IMDG-Shipping Name: AEROSOLS, Flammable
- 14.3. Transport hazard class(es)
ADR-Class: 2
ADR-Label 2.1
ADR - Hazard identification number: -
IATA-Class/Division: 2.1
IATA-Label: 2.1
IMDG-Class/Division: 2.1
IMDG-Label 2.1
- 14.4. Packing group
ADR-Packing Group: -
IATA-Packing group: -
IMDG-Packing group: -
- 14.5. Environmental hazards
ADR-Environmental Pollutant: No
IMDG-Marine pollutant: No
- 14.6. Special precautions for user
ADR-Subsidiary risks: -
ADR-S.P.: 190 327 344 625
ADR-Tunnel Restriction Code: D
IATA-Passenger Aircraft: 203
IATA-Subsidiary risks: -
IATA-Cargo Aircraft: 203
IATA-S.P.: A145 A167 A802
IATA-ERG: 10L
IMDG-S.P.: 63 190 277 327 344 959
IMDG-EMS: F-D , S-U
IMDG-Subsidiary risks: -
IMDG-Storage category: -
IMDG-Storage notes: SW1 SW22
IMDG-Segregation notes: SG69
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions :

Regulation (EC) nr 648/2004 (detergents).
1999/13/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1
Product belongs to category: P3a

15.2. Chemical safety assessment

No, for instructions on safe handling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.
H336 May cause drowsiness or dizziness.
H319 Causes serious eye irritation.
H315 Causes skin irritation.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H332 Harmful if inhaled.

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking
SECTION 2: Hazards identification
SECTION 3: Composition/information on ingredients
SECTION 4: First aid measures
SECTION 5: Firefighting measures
SECTION 7: Handling and storage
SECTION 8: Exposure controls/personal protection
SECTION 9: Physical and chemical properties
SECTION 10: Stability and reactivity
SECTION 11: Toxicological information
SECTION 12: Ecological information
SECTION 14: Transport information
SECTION 15: Regulatory information

The classification of the product is based on conventional calculation method.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EC0/10/20/50/100:	Effective concentration, for 0/10/20/50/100 percent of test population.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC0/10/20/50/100:	Lethal concentration, for 0/10/20/50/100 percent of test population.
LD0/10/20/50/100:	Lethal dose, for 0/10/20/50/100 percent of test population.
LTE:	Long-term exposure.
NOEC:	No Observed Effect Concentration
NOAEL(R)/N	No Observed Adverse Effect Level(Repeated)/Concentration
OAEC:	
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.

Safety Data Sheet
SPLENDIDO



ANNEX I

PROFESSIONAL PRODUCT AEROSOL – DETERGENT FOR HARD SURFACES

Title of exposure scenario	
Detergent for general cleaning: Manual process.	
Use description	
Sector Use	SU22 – Professional use
Product Category	PC35 – Cleaning and washing product (including solvent based products)
Description of activities/process considered on exposure scenario.	
Use following the use instruction as specified on the label.	
Rinse, if necessary.	
Frequency and duration	
Use phase	2/4 times a day, depending on the room size and condition.
Relevant limit values of ingredients, if available, are stated in section 8 of the SDS.	
Physical appearance and concentration	
Aerosol.	
In section 2 of the SDS of product and on the label the classification of mixture is provided.	
Mixture classification is based on ingredients classification and on chemical/physical properties stated in section 9 of the SDS of product.	
Use conditions	
Room temperature	
Good general ventilation at workplace is sufficient.	
Do not damage or puncture the container. Follow instruction specified on the label or on SDS for storage and disposal consideration.	
Protection	
Avoid spray inhalation.	
See section 8 of the SDS of product to more information on PPE.	Training of worker to use and maintenance of PPE is supposed.
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.
No open flame.	Do not use in combination with other products
Wash hand after use.	
In case of accidental release: dilute with water and dry.	
See section 6 of the SDS in case of accidental release	
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as specified in section 7 on the SDS.	
Environmental measures	
See section 6 of the SDS in case of accidental release	
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.	
See section 13 of the SDS for disposal considerations.	

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment