

SAFETY DATA SHEET

Print Date: 2018.01.22. Trend Quality Toilet Oil

SECTION 1: Identification of the substance/mixture and of the					
company/undertaking					
1.1 Product identifiers					
Product name:		Trend Quality Toilet Oil			
Other means of identification:		Product code: 426-122-503001			
1.2 Relevant identified uses	of the substa	nce or mixture and uses advised against			
Identified uses:	Toilet oil				
1.3 Details of the supplier o	f the safety da	ata sheet			
Distributor:		ASSIST-TREND Ltd. 2541 Lábatlan, Rákóczi F. str. 105. Tel: +36 (33) 524-071 Fax: +36 (33) 524-070 e-mail: info@assisttrend.hu web: www.assisttrend.hu			
Responsible for the safety data address:	sheet e-mail	info@assist-trend.hu			
1.4 Emergency telephone n	umber				
Emergency telephone:		Information Service of Health and Toxicology 1096 Budapest, Nagyvárad sqr. 2. Phone number: (+36) 80 201 199, (+36) 1 476 6464			
SECTION 2: Hazards id	entification	1			
2.1 Classification of the sub					
Classification according to Reg	gulation (EC) No	0 1272/2008:			
		Flam. Liq. 3, H226 Skin Sens. 1, H317 Eye Irrit. 2, H319 STOT SE 3, H336 Aquatic Chronic 2, H411			
2.2 Label elements		1			
Labelling according Regulation (EC) No 1272/2008:					
Pictogram:					
Signal word:		WARNING			
Hazard statement(s):					



Print Date: 2018.01.22. SAFETY DATA SHEET Trend Quality Toilet Oil

		EUH208 Contains hexylcinnamaldeh butylbenzyl)propi	liquid and va an allergic ski ous eye irritat drowsiness of atic life with lonone, met nyde, 2-(4-ter onaldehyde,	in reaction. tion. r dizziness. long lasting effects. hyl-, α- rt- 1,3,4,6,7,8-hexahydro-	
Precautionary statement(s):		4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran. May produce an allergic reaction. P210 Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to local/regional/national/international regulations.			
Contains:		Propan-2-ol; lonone, methyl-; α-hexylcinnamaldehyde; 2-(4-tert-butylbenzyl)propionaldehyde; 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran			
2.3 Other hazards		This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.			
SECTION 3: Composition/informa			tion on ingred	dients	
3.1 Mixtures					
Component	Concentration (%)	CAS- No.	REACH registration number	EC-No.	Class under Regulation 1272/2008/EC Classification (CLP)
Propan-2-ol	<40	67-63- 0	No data	200-661-7	Flam. Liq. 2, H225, Eye Irrit. 2, H319, STOT SE 3, H336



SAFETY DATA SHEET

Print Date: 2018.01.22. Trend Quality Toilet Oil

Print Date: 2018.01.22. Trend Quality Tollet Oil					
Ionone, methyl-	1,3-2,7	1335- 46-2	No data	215-635-0	Skin Irrit. 2, H315, Eye Irrit. 2, H319, Skin Sens. 1, H317, Aquatic Chronic 2, H411
α- hexylcinnamalde hyde	0,2-1,3	101- 86-0	No data	202-983-3	Skin Irrit. 2, H315, Skin Sens. 1, H317
2-(4-tert- butylbenzyl)propi onaldehyde	0,2-1,3	80-54- 6	No data	201-289-8	Skin Irrit. 2, H315, Skin Sens. 1, H317, Aquatic Chronic 4, H411, Oral Acute Tox. 4, H302, Repr.2, H361
1,3,4,6,7,8- hexahydro- 4,6,6,7,8,8- hexamethylinden o[5,6-c]pyran	0,2-1,3	1222- 05-5	No data	214-946-9	Aquatic Acute 1, H400, Aquatic Chronic 1, H410
Other information	For the full text of the H-Statements mentioned in this Section, see Section 16.				

SECTION 4: First aid measures

4.1 Description of first aid measures	
General advice:	Consult a physician. Show this safety data sheet to the
General advice.	doctor in attendance.
If inhaled:	If breathed in, move person into fresh air. If not
	breathing, give artificial respiration. Consult a physician
	Take off contaminated clothing and shoes immediately.
In case of skin contact:	Wash off with soap and plenty of water. Take victim
	immediately to hospital. Consult a physician.
In case of ove contact:	Rinse thoroughly with plenty of water for at least 15
In case of eye contact:	minutes and consult a physician.
If swallowed:	Never give anything by mouth to an unconscious
	person. Rinse mouth with water. Consult a physician

4.2 Most important symptoms and effects, both acute and delayed

No data

4.3 Indication of any immediate medical attention and special treatment neededObtain medical attention in the event of any acute of delayed symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media



SAFETY DATA SHEET

Print Date: 2018.01.22. Trend Quality Toilet Oil

Suitable extinguishing	Water spray, carbon dioxide, dry chemical powder or appropriate foam
media:	water spray, carbon dioxide, dry chemical powder of appropriate roam

5.2 Special hazards arising from the substance or mixture

Carbon monoxide, carbon dioxide

5.3 Advice for firefighters

Fire figthers should wear full protective clothing including a NIOSH approved self contained breathing apparatus. During a fire, irritating and/or toxic gasses from combustion/decomposition products may be present.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling			
Precautions:	Wash thoroughly after handling. Do not breathe or get		
	material on skin or eyes.		
Fire and explosion protection measures:	Keep away from heat/sparks/open flames/hot surfaces.		
	– No smoking.		
7.2 Conditions for safe storage, including any incompatibilities			
Requirements for storage areas and	Store in original packaging between 5 °C and 20 °C,		
containers:	protected from light. Do not freeze. Keep it out of reach		
	of children.		
Incompatible products:	No data		
7.3 Specific end use(s):			

7.3 Specific end use(s):

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Air occupational exposure limits: Contains no substances with occupational exposure limit values.

Biological Exposure Limits: No data

DNEL: No data **PNEC:** No data

8.2 Exposure controls

Individual	protection measures	. such as i	personal	protective	equip	ment
IIIaiviaaai	protection incasares	, such as p	personai	protective	Cquip	

•	
General safety and hygiene measures:	Wash hands during breaks and at the end of handling
	the material. Care should be taken when handling the
	virus to avoid contact with the eyes.
Respiratory protection:	NIOSH approved respirator to prevent inhalation of
	organic vapors.



SAFETY DATA SHEET

Print Date: 2018.01.22. Trend Quality Toilet Oil

Print Date: 2018.01.22. Trei	nd Quality Toilet Oil	
Hand protection:	Compatible chemical-resistant gloves to prevent skin	
- 4	contact.	
Eye/face protection:	Safety glasses with side shield or chemical safety	
	goggles to prevent eye contact.	
Body/skin protection:	For operations where spills may occur, wear impervious	
	gloves and clothing to prevent skin contact. A safety	
	shower and eyewash station should be available.	
Control of environmental exposure:	Do not let product enter drains.	
SECTION 9: Physical and chemical	l properties	
9.1 Information on basic physical and che		
Appearance	Liquid, yellow	
Odour	Pleasant	
Odour Threshold	Not applicable	
рН	7,5 (10 g/l, 20 °C)	
Melting point/freezing point	Not applicable	
Initial boiling point and boiling range	Not applicable	
Flash point	24 °C	
Evaporation rate	Not applicable	
Flammability (solid, gas)	Flammable liquid and vapour.	
Upper/lower flammability or explosive	Not applicable	
limits		
Vapour pressure	Not applicable	
Vapour density	Not applicable	
Relative density	0,91 g/cm ³ - 20 °C	
Water solubility	Soluble	
Partition coefficient: noctanol/water	Not applicable	
Auto-ignition temperature	Not applicable	
Decomposition temperature	Not applicable	
Viscosity	Not applicable	
Explosive properties	Not applicable	
Oxidizing properties	Not applicable	
9.2 Other safety information: No additiona	l information available.	
SECTION 10: Stability and reactive	ity	
10.1 Reactivity: No data		
10.2 Chemical stability: Stable under norma	al conditions.	
10.3 Possibility of hazardous reactions: No hazardous reactions known		
10.4 Conditions to avoid: Heat, flame, spark		
10.5 Incompatible materials: No data		
•		
10.6 Hazardous decomposition products: Carbon monoxide, carbon dioxide		
SECTION 11: Toxicological inform	ation	
11.1 Information on toxicological effects		
11.1.1 Mixtures:		
Acute toxicity	No data	
Skin corrosion/irritation	No data	
Serious eye damage/eye irritation	Causes serious eye irritation.	



SAFETY DATA SHEET

Print Date: 2018.01.22. Trend Quality Toilet Oil

Trend Quality Tollet On
May cause an allergic skin reaction. Contains Ionone, methyl-, α-hexylcinnamaldehyde, 2-(4-tert-butylbenzyl)propionaldehyde, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran May produce an allergic reaction.
No data
No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
No data
May cause drowsiness or dizziness.
No data
No data

Other information: No additional information available.

SECTION 12: Ecological information

12.1 Toxicity

No data

12.2 Persistence and degradability

No data

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Do not let product enter drains.

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects: Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

Waste treatment methods:

Dispose of in accordance with all Federal regulations, including EPA Consult both State and Local regulations as well as these may differ from Federal disposal regulations. Dispose of empty container and unused contents in accordance with all Federal, State and Local regulations.

EWC code: 20 01 29* Detergents containing dangerous substances.

Contaminated packaging: Dispose of as unused product. 15 01 10* Packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number	1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (propan-2-ol)
14.3 Transport hazard class(es)	
Class:	3
Classification code:	F1
Transport category:	3
Tunnel restriction code:	D/E
14.4 Packaging group	PG III
14.5 Environmental hazards	Dangerous for the environment



SAFETY DATA SHEET

Print Date: 2018.01.22. Trend Quality Toilet Oil

14.6 Special precautions for user	No data		
14.7 II of MARPOL 73/78. Transport in	No data		
bulk according the IBC Code			
SECTION 15: Regulatory information			
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	This safety data sheet complies to requirements of Regulation No. 1907/2006/EC, Regulation (EC) No. 1272/2008 and Regulation No. 453/2010/EC.		
Enabling and / or limitation of uses:	-		
15.2 Chemical Safety Assessment	For this product a chemical safety assessment was not carried out.		

SECTION 16: Other information

Abbreviations	
DNEL	Derived No Effect Level
PNEC	Predicted No-Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Mixtures classification methods:

According to CLP law, a calculation method, GHS software.

Full text of H-Statements referred to under sections 2 and 3.

H-statements:

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains Ionone, methyl-, α -hexylcinnamaldehyde, 2-(4-tert-butylbenzyl)propionaldehyde, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran. May produce an allergic reaction.

Flam. Liq. 2, H225 Flam. Liq. 3, H226

Oral Acute Tox. 4, H302

Skin Irrit. 2, H315

Skin Sens. 1, H317

Eye Irrit. 2, H319

STOT SE 3, H336

Repr. 2, H361

Aquatic Chronic 2, H411

Advice on training: General chemicals management education in the context of OSH Training. First-aid course.

Modifications: -